

MACHINES AND SPECIAL TOOLS.

For preparing subfloors and laying floors.

Last updated: 01/2013



going beyond your limits





CONTENTS

4 Removing flooring

Peeling | removing | scraping

13 Preparing subfloors

Milling | renovating | grinding

44 Applying floors

Cutting | pressing | milling | welding

45 Linoleum | Vinyl | India rubber

58 Textile floors

61 Wooden floors

68 Useful tools

Work safety equipment | straight edges | knives | blades

REMOVING FLOORING


Peeling | removing | scraping



TURBO-STRIPPER



Cockpit operation: All switches are easily accessible for more convenient operation



Height and inclination adjustable handle



Custom weight shifting at 3 positions



Turbo-Stripper HN

Special model with height and inclination adjustable handle	#43778	115V/230V
	#50485	

Professional removal of any bonded flooring

- also suitable for studded rubber and sport flooring
- 2.6 kW motor with starting current limiter
- self-propelled with hand-operated clutch for more convenient operation
- restart cutout for safe operation
- detachable weight and handle for easy transportation

Technical specifications:

230 V / 115 V, 2.6 kW, starting current limiter,
max. working width 150-350 mm, 5,000 strokes/min,
157 kg, stripping capacity approx. 60-100 m²/h

Includes:

Turbo-Stripper, 1 blade 350 x 60 x 1 mm,
1 blade 350 x 60 x 1.5 mm, 1 blade 200 x 60 x 1.5 mm,
1 blade 150 x 60 x 1.5 mm, 1 U-shape blade with top cutting edge,
1 U-shape blade with bottom cutting edge, tool kit, hearing protection,
safety gloves, blade cover

Turbo-Stripper

Basic model without optional accessories (for other technical specifications and accessories see left)	#38587	115V/230V
	#39087	

Turbo-Stripper PBS

Special model with pull-back system instead of hydraulic clutch (for other technical specifications and accessories see left)	#46949	115V/230V
	#50487	


See page 7 for information about the Pull-back System

Accessories:

Additional weight 30 kg, 1 pc.	#38535
Carrying strap to facilitate transportation	#40603

Spare blades for Turbo-/Extro-Stripper


For textile flooring		For linoleum, PVC and rubber floorings	
350 × 60 × 1.0 mm 10 pcs.	#13978	200 × 60 × 1.5 mm 10 pcs.	#13980
350 × 60 × 1.5 mm 10 pcs.	#13979	150 × 60 × 1.5 mm 10 pcs.	#13981
		350 × 120 × 1.5 mm 1 pc.	#13982



Special 350 mm U-shape blade for Turbo-/Extro-Stripper

To simultaneously pre-cut and strip flooring. Ground on one side.

Top cutting edge	#13983	Bottom cutting edge	#38933
------------------	--------	---------------------	--------



Inclination adapter for Turbo-/ Extro-Stripper

- changes the inclination of the blade
- more aggressive on textile floors
- increases scope of application

Inclination adapter	#15525
---------------------	--------

Special blade for Turbo-/Extro-Stripper

Heavy duty, angled, for heavy floorings, 350 mm.

For Stripper versions New	#39362	For Stripper versions Old	#15532
----------------------------------	--------	----------------------------------	--------



Leather blade cover

For Turbo- and Extro-Stripper	#33204
-------------------------------	--------



Additional weight, 30 kg

For Turbo-Stripper, 1 pc.	#38535
---------------------------	--------



Running gear

For Turbo-Stripper	#62227
--------------------	--------



Parquet Stripper Set

The perfect set for stripping wood flooring. An add-on to the Turbo Stripper. #63754

Includes:

Deflector, underrun protection, special blades (heavy duty), parquet deflector blade holder.

Accessories:

Parquet deflector New Turbo2	#63752
Underrun protection	#53415
Special blade (heavy duty)	#39362
Parquet deflector blade holder Turbo2	#63753



Ergo Cutter

Ideal tool for precutting strips to prepare for stripping.
The long metal handle allows you to work ergonomically while standing

Ergo Cutter	#62700	Ergo Cutter spare blades	#13421
-------------	--------	--------------------------	--------



EXTRO-STRIPPER



Cockpit operation: All switches are easily accessible for more convenient operation



Height-adjustable handle



With pull-back system



Extro-Stripper

The successor to the legendary Super-Stripper

#38588

#39121

115V 230 V

- up to 80 m²/h
- perfect co-ordination of impact power and self-propulsion for maximum efficiency
- 50 years of expertise

The **patented Pull-back System** automatically stops the machine when the handle is pulled back = fast and efficient operation on large areas + increased operating safety.

Sophisticated gear technology = long service life even under extreme working conditions.

Robust impact system = accurate removal of flooring even under tough conditions.

With blade cover = reliable protection against injuries.

Technical specifications:

230 V/115 V, 2.6 kW, 5,000 strokes/min, weight 112 kg, weight of detachable hood 42 kg, blade width 350 mm

Includes:

Extro-Stripper, 1 blade 350 x 60 x 1 mm, 1 blade 350 x 60 x 1.5 mm, 1 blade 200 x 60 x 1.5 mm, 1 blade 150 x 60 x 1.5 mm, 1 U-shape blade with top cutting edge, 1 U-shape blade with bottom cutting edge, tool kit, hearing protection, safety gloves, blade cover

Pull-back System

The pull-back system has been developed to make it easy to reverse the Turbo-Stripper, Extro-Stripper and Vario-Stripper Silent.

When you reach a wall or another obstacle while you are working, simply pull the handle to raise the driving wheels. The machine stops although the wheels continue to rotate.

Pull the handle harder to pull the machine back to where you want to start the next line.

Push the handle forward to lower the driving wheels back to the ground and the machine will start to move forward again.

When working, push the handle forward slightly to raise the small transport wheels.

VARIO-STRIPPER Silent



Vario drive:
Continuous speed control up to 16 m/min



Height adjustable handle



Extremely low-noise motor



Vario-Stripper Silent

Extremely silent stripper for use on medium-sized areas

#38764

#42453

115V/230V

- removes PVC, linoleum and rubber floor coverings
- silent motor makes it possible to use the machine even during normal working hours (hospitals, office buildings)
- self-propelled machine and controls integrated into the top of the handle for great, convenient operation
- easy transportation thanks to detachable additional weight and handle
- Pull-back System for safe operation in corners and along walls
- Vario drive: continuous speed control between 2.5 and 16 m/min
- inclination of blade adapter can be changed to adjust to different floorings and working conditions

Technical specifications:

230 V/115 V, 1.65 kW, 3,000 strokes/min, basic weight 107 kg (weight of basic machine 60 kg, additional weight of detachable hood 30 kg, weight of detachable handle 17 kg)
Max. working width 250 mm, limiting speed 2.5-16 m/min, stripping capacity 30-70 m²/h, with starting current limiter

Includes:

Vario-Stripper Silent, 1 blade 250 x 60 x 0.7 mm, 1 blade 250 x 60 x 1 mm, 1 blade 250 x 60 x 1.5 mm, 1 U-shape blade with top cutting edge, 1 U-shape blade with bottom cutting edge, tool kit, safety gloves, blade cover

CAYMAN-STRIPPER

NEW


Operating controls on the control panel



2000 W + 1300 W consumption



Oscillating blade movement



Cayman-Stripper

The new super stripper from WOLFF

#66666

- Removes floor coverings from PVC, linoleum, rubber and textile floorings
- Self-propelled, therefore very simple to operate
- Operating controls easily accessible on the control panel
- Handle with 200 mm 6-level vertical adjustment
- Easy to transport as additional weight and handle can be removed
- Variable speed control between 5 and 11 m/min.
- Adapts to different floor coverings and working conditions through blade angle with 3-level incline adjustment
- Excellent cutting results through oscillating blade movement

Technical specifications:

230 V, 2000 W + 1300 W, 8.500 impacts/min, total weight approx. 63 kg (machine approx. 37 kg, handle 10 kg, additional weight removable approx. 16 kg), working width max. 250 mm, speed approx. 5-11 m/min

Includes:

Cayman Stripper, additional weight, hearing protection, protective gloves, tool kit, blade cover, blade 210 x 60 x 0,7, blade 210 x 60 x 1,0, blade U-shaped 250 x 60 x 1,0, extension cable 10 m (3x2,5²)

Spare blades for Vario-Stripper Silent

For textile flooring		For linoleum, PVC and rubber floorings	
250 × 60 × 0.7 mm 10 pcs.	#38765	250 × 60 × 1.5 mm 10 pcs.	#38767
250 × 60 × 1.0 mm 10 pcs.	#38766		



Serrated blades for Vario-Stripper Silent

To remove floors with felt or fleece backing.

The serrated blade cuts the fibres perfectly. The blades are made of high-quality hardened and specially coated spring band steel with CNC controlled sharpening.

250 x 60 x 1 mm	#48401
-----------------	--------



Special U-shape blade, 250 mm, for Vario-Stripper Silent and Cayman Stripper

To pre-cut and strip floor coverings simultaneously (for PVC and linoleum). Ground on one side.

Top cutting edge	#38768	Bottom cutting edge	#38932
------------------	--------	---------------------	--------



Spare blades for for Cayman-, Duro- and Eco-Stripper

For textile flooring		For linoleum and PVC	
210 × 60 × 0.7 mm 10 pc.	#13344	210 × 60 × 1.0 mm 10 pc.	#13345
For linoleum, PVC and rubber floorings			
210 x 60 x 1.5 mm	#13346		



Serrated blades for for Cayman-, Duro- and Eco-Stripper

To remove floors with felt or fleece backing.

The serrated blade cuts the fibres perfectly. The blades are made of high-quality hardened and specially coated spring band steel with CNC controlled sharpening.

210 x 60 x 1 mm	#48402
-----------------	--------



Carpet clamp

A great aid when removing bonded floorings. Made of unbreakable high-quality aluminium. The ergonomic design protects hands and fingers. Tested to a pulling force of 200 kp.

#13342



Floor scraper

Very sturdy design, 300 mm wide, handle length 135 cm.

Floor scraper	#13934
Spare blade	#14001



Hand scraper WOLFF

Working width 10 cm, incl. 5 blades.

Hand scraper WOLFF	#51505
Spare blades, 10 pcs.	#13617



Professional hand scraper WOLFF

Working width 52 mm. Supplied without blades.

Professional hand scraper WOLFF	#65500
Straight blades (100 pcs.)	#13419



DURO-STRIPPER



Ergonomic handles with oval form



Can be operated handheld or as a floor unit with removal handle



Comfortable wheel set



Duro-Stripper (with oval handle)

Design without adjustable grips

(for further technical specifications and accessories see left)

#13347

#15540

115 V/230 V

- wheel set for easier operation as standard
- can be operated handheld or as a floor unit with height-adjustable handle
- rugged metal casing for heavy-duty use
- special bearings to reduce vibrations

Technical specifications:

230 V/115 V, 2.0 kW, starting current limiter, max. working width 210 mm, 8,500 rpm, 16 kg, stripping capacity approx. 30-50 m²/h

Includes:

Duro-Stripper, wheel set, 1 blade 210 x 50 x 0.7 mm, 1 blade 210 x 60 x 1 mm, tool kit, hearing protection, safety gloves, blade cover

Accessories:

Carrying case

#13349

Wheel set

#16151

Duro-Stripper VG (with adjustable grips)

Number 1 worldwide for universal use on small to medium-sized areas

#13348



ECO-STRIPPER

- Perfect results
- 2.0 kW consumption
- Work right to the edge



Eco-Stripper

Well-priced machine for universal use on small to medium-sized areas.

- can be operated handheld or as a floor unit with handle
- 2.0 kW motor with starting current limiter

#13993

#15518

115V 230V

Technical specifications:

230 V/115 V, 2 kW, starting current limiter, max. working width 210 mm, 6,300 rpm, 15 kg, stripping capacity approx. 25 - 40 m²/h

Includes:

Eco-Stripper, 1 blade 210 x 60 x 1 mm, tool kit, hearing protection, safety gloves, blade cover

Spare blades:

210 x 60 x 1 mm (for PVC), 10 pcs. #13345

210 x 60 x 0.7 mm (for textile), 10 pcs. #13344

210 x 60 x 1.5 mm (for linoleum, PVC and rubber), 10 pcs. #13346

Serrated blade for Duro-Stripper

To remove floorings with felt or fleece backing.

The serrated blade cuts the fibres perfectly. The blades are made of high-quality hardened and specially coated spring band steel with CNC controlled sharpening.

Serrated blade 210 x 60 x 1 mm #48402

Leather blade cover

For Duro- and Eco-Stripper #33203

Eco-Stripper VG

With staggered handles #13994

JUNIO-STRIPPER

- Handy, hard-wearing unit
- 1.01 kW consumption
- Work right to the edge



Spare blades 200 mm

Junio-Stripper

For removing small areas of textile floor coverings, foam or flooring residues and glass fibre wall coverings

#16876

#20819

115V 230V

- allows you to work on spots which are hard to reach, such as window sills, under radiators and on stairs
- perfect for areas near stairs or along walls
- comes with carrying case

Technical specifications:

230 V/115 V, 1.01 kW, max. working width 120/200 mm, 3.1 kg

Includes:

Junio-Stripper, 1 blade 120 mm, tool kit, safety gloves, hearing protection, carrying case, blade cover

Accessories:


Spare blades 120 mm, 10 pcs. #13998

Spare blades 200 mm, 10 pcs. #14000

Leather blade cover #33199

PREPARING SUBFLOORS

Milling | grinding | polishing



MAMBO EVO



Continuous speed control



Height and inclination continuously adjustable handle



Height-adjustable wheels



Monodisc grinding machine Mambo EVO

The incomparable allrounder for all your grinding and milling applications!

#61804

#62551

115V 230V

- continuous speed control from 150 to 450 rpm to match the abrasives perfectly to the grinding surface
- inside suction ring
- parquet sanding
- high torque for effective and fast operation, with high abrasion capacity and great power even at low speeds
- additional weight for increased abrasion capacity
- folding handle and detachable weight for easy transportation in a car (dimensions when folded 55 x 40 x 88 cm)
- stepless height adjustment
- wheels adjustable for height

Technical specifications:

230 V/115 V, 2.0 kW, limiting speed 150-450 rpm, working width 375-400 mm, weight 52 kg + 18 kg additional weight, with starting current limiter

Includes:

Mambo grinding machine, protection and suction ring, additional weight 18 kg, hearing protection, comes without disc holder and suction kit

Accessories:

Cleaning tank	#39709
Cable clamping kit	#38935
Extension cable WOLFF (shown on p. 68)	#41811

Micropac suction kit

Compact dry vacuum cleaner, 230 V	#38501
Paper filter bags for Micropac suction kit, 20 pcs.	#13498
Dust filter with zipper	#17294
Suction hose for Micropac suction kit	#13499
Allen key SW 8	#14959
Bolt with left-handed thread	#14044
Spring washer	#14043

FLAMENCO SAMBA JIVE

- Powerful machines up to 2.2 kW
- Also suitable for wet cleaning
- Ideal for small to medium-sized areas



Image shows machine with suction kit

Image shows cleaning tank

Monodisc grinding machine Flamenco 2.2 kW

Handy and very powerful machine for grinding and brushing screed or compounds. Also suitable for wet-cleaning wall-to-wall carpeting or for polishing hard floors.

#56365

Thanks to the powerful motor and the attachable suction kit, subfloors can now be prepared without any problem using this machine. The low operating weight and the large range of discs and cleaning accessories provide the perfect solution for any task. Specially reinforced handle and durable steel gearwheels.

Technical specifications:

230 V, 2.2 kW, 160 rpm, 44 kg,
working width 375/400 mm

Includes:

Grinding machine Flamenco , without suction kit and disc holder

Monodisc grinding machine Samba 1.7 kW

With powerful 1.7 kW motor
(see grinding machine Flamenco for technical specifications and accessories)

#56364

#65218

115V 230V

Monodisc grinding machine Jive High speed

Specially designed for polishing, waxing and padding.

#56363

Very efficient thanks to a particularly high speed of 390 rpm and a 2.2 kW motor.
(see grinding machine Flamenco for technical specifications and accessories)

Accessories for Flamenco, Samba and Jive:

Additional weight, 11 kg	#34097
Complete suction kit consisting of suction unit and:	#13503
• Hose kit	#14038
• Suction ring	#14039
• Brush ring	#15353
Paper filter bags, 40 cm, 10 pcs.	#13504
Paper filter bags, 80 cm, 5 pcs. (for machines built after 2004)	#37299
Extension cable WOLFF (shown on p. 68)	#41811
Cleaning tank	#59831

For wet cleaning with pads and brushes. The cleaning tank is attached to the guide rod of the grinding machine. Tank volume approx. 12 l. Filled with water or cleaning fluid. Suitable for the polishing and grinding machines Mambo, Tango, Samba, Flamenco, Jive, and Rumba.

TANGO

- Powerful machine up to 1.0 kW
- Also suitable for wet cleaning
- Ideal for small areas



Image shows machine with suction kit



Monodisc grinding machine Tango 1.0 kW

Handy 1.0 kW machine with a broad range of applications.

#56366

- grinding and brushing screed or compounds
- sanding wood flooring and cork
- wet-cleaning wall-to-wall carpeting and polishing hard floors

Technical specifications:

230 V, 1.0 kW, 154 rpm, 41 kg, working width 375/400 mm

Includes:

Grinding machine Tango, **without suction kit and disc holder**

Accessories:

Complete suction kit consisting of suction unit and:	#13503
• Hose kit with T adapter	#14038
• Suction ring with sealing shell	#14039
• Brush ring	#15353
Paper filter bags, 40 cm, 10 pcs.	#13504
Paper filter bags, 80 cm, 5 pcs. (for machines built after 2004)	#37299
Extension cable WOLFF (shown on p. 68)	#41811
Cleaning tank	#59831


For wet cleaning with pads and brushes. The cleaning tank is attached to the guide rod of the grinding machine. Tank volume approx. 12 l. Filled with water or cleaning fluid. Suitable for the polishing and grinding machines Mambo, Tango, Samba, Flamenco and Jive.

RUMBA

- Ideal for small areas
- 0.5 kW consumption
- Also suitable for wet cleaning



Image shows cleaning tank



Polishing machine Rumba 0.5 kW

Ideal for polishing, cleaning or finishing small areas. Small and lightweight machine for all types of polishing work on hard floors. Also suitable for wet-cleaning wall-to-wall carpeting or hard floors in combination with the cleaning tank. Can be used for intermediate sanding of parquet.

#13509

Technical specifications:

230 V, 0.5 kW, 188 rpm, 19 kg, working width 330 mm

Includes:

Polishing machine Rumba, **without disc holder and cleaning tank**

Accessories:

(holder diameter 330 mm) Polishing brush, soft	#13521
Polishing brush, hard	#13522
Disc holder for pads	#13520
Polishing pad	#13523
Cleaning tank	#13502

For wet cleaning with pads and brushes. The cleaning tank is attached to the guide rod of the grinding machine. Tank volume approx. 12 l. Filled with water or cleaning fluid. Suitable for the polishing machine Rumba and the grinding machines Tango, Flamenco, Samba and Jive built before 12/2009.

Grinding plates for monodisc grinding machines

Suitable for our models Mambo, Samba, Tango, Flamenco, and Jive

Disc holder with sponge padding

For abrasive paper, HM grinding discs and abrasive gauze

Diameter 375 mm	#13299	Diameter 400 mm	#13327
-----------------	--------	-----------------	--------

Sponge padding:


Diameter 375 mm	#13500	Diameter 400 mm	#13328
-----------------	--------	-----------------	--------



Disc holder with felt

Diameter 375 mm

For abrasive paper	#13501	Felt padding	#13526
--------------------	--------	--------------	--------



Disc holder accessories

Bolt with left-handed thread	#14044	Spring washer	#14043
Allen key SW 8	#14959		

Holding kit for perforated pads

Diameter 410 mm

For face grinding freshly installed wooden floors, intermediate grinding of varnish, renovating oiled surfaces and treating sealed parquet (to remove dirt & dust). Also for matting varnished surfaces and treating engineered stone floors.

Holding kit incl.

Dust absorbing pad 400 mm	#40607	Dust absorbing pad 410 mm	#42796
---------------------------	--------	---------------------------	--------



Abrasive paper discs, double-sided, 10 pcs.


Diameter	375 mm	400 mm
Perforation	40 mm	25 mm
Grit 16	#50820	#51243
Grit 24	#13527	#13329
Grit 40	#13528	#13330
Grit 60	#13529	#13534
Grit 80	#13530	#13535
Grit 100	#13532	#13536
Grit 120	#13533	#13537



HM grinding disc, double-sided

For grinding screed or compounds and for removing paint or floor residues. High grinding capacity.

Diameter	375 mm	400 mm
Grit 14	#50849	#50850
Grit 16	#13510	#13515
Grit 24	#13517	#13518



Grinding plates for monodisc grinding machines
Suitable for our models Mambo, Samba, Tango, Flamenco, and Jive

Abrasive gauze, 10 pcs.

Diameter:	150 mm	406 mm
Grit 60	#33511	#12665
Grit 80	#33513	#12666
Grit 100	#33514	#12667
Grit 120	#33515	#12668
Grit 150	#33516	#12669
Grit 180	#33517	#13549



Perforated pads, 10 pcs.

Diameter:	410 mm
Grit 36	#40720
Grit 40	#40741
Grit 60	#40742
Grit 80	#40743
Grit 100	#40744
Grit 120	#40745
Grit 150	#40746
Grit 220	#40747
Grit 320	#40748
Grit 400	#40749



Multi grinding plate

For final polishing of parquet and intermediate grinding of floor sealings. For 4 grinding discs, 150 mm. Incl. extra high brush ring, #40982, for use with grinding machine Mambo.	#14023
---	--------

Accessories:	
Brush ring, high. Fits grinding machine Mambo.	#40982



Grinding plate with 6 stones, grit 20

For grinding screed or compounds and for removing unevenness, paint or plaster residues.	#13540
---	--------


Accessories:	
Stone, grit 20	#13490



Flat steel brush disc

For scraping foam, felt or jute residues.
For roughening self-spreading anhydrite screed and for industrial floor cleaning.
Wire length 45 mm.

#15738



Brush cup plate

For removing the sintered layer of new anhydrite and magnesite screed.
For roughening anhydrite screed.

#15735

Accessories:

Brush cup set, 6 pcs.

#15736

Mounting kit for brush cup set

#15737



Grinding plate with hard metal ring

The hard metal ring has the same function as the hard metal discs. However, the ring has a longer service life and offers more aggressive grinding. Well suited to removing old fleece residues.

Grit 16

#14254

Grit 24

#14255


Accessories:

Hard metal ring, grit 16

#14256

Hard metal ring, grit 24

#14257



Milling disc with rotation principle

For preparing substrates of any kind.

#34284

Not suitable for grinding machines < 1.7 kW

Accessories:

Single milling module

#34285

Gliding disc

#34286

Wheel set per module, 12 pcs.

#34288



Hard metal (HM) milling plate disc

HM milling plates for removing thick layers of adhesive with fibre, felt or foam residues.

#13569

Not suitable for grinding machines < 1.7 kW

Accessories:

Milling module with HM plate

#13550

HM plate (1 pc.)

#13566



Star wheel grinding disc

For roughening coatings and concrete as well as stripping sintered layers.
Also for removing compounds on floorboards. With 3 milling heads.

#14243

Not suitable for grinding machines < 1.7 kW

Accessories:

Star wheels (set of 42 pcs.)

#14244

Milling head

#14245



Grinding plate with diamond grinding heads, fan-type helical design

For grinding all common coatings, compounds and, in particular, concrete floors. Even extremely hard compounds can be grinded without any problem.

Not suitable for grinding machines < 1.7 kW

#14248

Accessories:

Diamond grinding head, fan-type helical design

#14249



Disc holder for pads


Diameter 400 mm

Disc holder for pads

#13300

Spare pad

#15739



Cleaning pads

Diameter		406 mm	406 mm	150 mm *
Material thickness		10 mm	20 mm	10 mm
Items		10 pcs.	5 pcs.	10 pcs.
For high gloss polishing:	white	#12679	#12693	#33510
For waxing and polishing:	beige	#12676	#12680	#33509
For cleaning:	red	#34300	#34298	#33507
For basic/maintenance cleaning:	green	#12677	#12691	#33506
For abrasive cleaning of resilient floorings:	brown	-	#65080	-
For abrasive cleaning of ceramic floorings:	black	#12678	#12692	#33505

* 150 mm pads for multi grinding plate (shown on p. 17)



Perlon brush, hard

With hard Perlon bristles for rough cleaning of hard flooring (linoleum, PVC, stone, ceramics).

#13507

Not shown

Shampooing brush

With soft bristles to clean wall-to-wall carpeting.

#13506



Corrugated wire brush

For brushing and precleaning surfaces.

#13539

Not shown

Polishing brush, coir

For brushing and polishing hard flooring (linoleum, PVC, stone, ceramics).

#13505



Disc for natural stone

For cleaning natural stone floors.

Not to be used on the monodisc grinding machine Mambo!

#33209

Not shown

Scrub brush

For maintenance cleaning of hard flooring with coarse or caked soiling.

#13508



ALPHA



Enormous power



230 V operation



Grind right to the wall



Floor grinding machine Alpha

Small grinding machine with enormous power!

Operated with a mere 230 V DC, our grinding machine Alpha holds its own in the league of machines operated with three-phase current - at a weight of only 42 kg!

- ideal for surfaces from 30 to max 50 m² and for working on edges
- integrated suction unit for dust-free operation
- detachable handle can be adjusted in length and angle
- collapsible to boot size in just a few steps
- detachable dust cover for grinding right to the wall
- exchangeable diamond segments

Technical specifications:

2.0 kW, 230 V, 50 Hz AC, working width 230 mm, dimensions w/o handle 51 x 60 x 30 cm (H x L x W), weight 42 kg, tool speed 1,500 rpm, suction connection 50 mm

Includes:

Alpha floor grinding machine, disc holder for 4 diamond segments, hearing protection, **without grinding tool**

Accessories:

Diamond disc holder for 4 diamond segments

#37606

#67366

115V 230V



OMEGA

- Perfect grind results
- 3.0 kW consumption
- Lightweight



Floor grinding machine Omega

The universal grinding machine for concrete, screed, asphalt, steel, and formwork #36555

The various tools provides versatile solution to a range of applications:

- grinding concrete, steel, and asphalt
- removing paint and coatings
- working on edges of large areas
- roughening concrete or screed floors
- low weight, yet high grinding power consumption
- continuously adjustable operating handle
- reaches floor edges up to a few millimetres

Technical specifications:

400 V, 3.0 kW, working width 290 mm, limiting speed 1,500 rpm, dimensions (H x W x L) 95 x 75 x 33 cm, weight 65 kg, suction connection 50 mm

Includes:

Omega floor grinding machine, disc holder for 6 diamond segments, hearing protection, **without grinding tools**

Accessories:

Extension cable, 400 V, 16 A, 25 m	#15960
Disc holder for 6 diamond segments (see page 23)	#33140
Dust ring with brush for Omega	#61713




System accessories for Omega

HM splinter disc

For removing tile adhesive residues and for very rough grinding of anhydrite screed.

Grit 5	#33124
For removing tile adhesive residues and for rough grinding of screed.	
Grit 10	#33122
Disc holder for hard metal splinter disc	#33126



Milling segment disc

Complete milling segment disc	#33875
Disc holder for milling segment disc	#36221
Milling wheels, 30 pcs.	#39004
Supporting discs, 30 pcs.	#39002
Shafts, 6 pcs.	#39003
Front wheel (shown above). To be used with milling segment disc. Prevents digging in the milling segments.	#33876



Grinding plates with diamond segments for monodisc grinding machines 375-430 mm with 1.7 kW min. consumption (all segments can be used on all basic plates)

Diamond grinding plate, ES - For preparing screed

For grinding and removing sintered layers of screed and for removing thin paint layers on soft mineral substrates. The described diamond plates, diameter 400 mm, are each delivered fitted with 6 diamond segments of one type.

Diamond grinding plate ES, grit 20	#56371	Diamond grinding plate ES, grit 40	#56368	Diamond grinding plate ES, grit 60	#56372
Diamond segment SC 20	#56306	Diamond segment SC 40	#56308	Diamond segment SC 60	#56309



Diamond grinding plate, BT - For preparing concrete substrates

For grinding concrete, coatings and high-grade compounds and for removing thin paint layers on hard substrates. The described diamond plates, diameter 400 mm, are each delivered fitted with 6 diamond segments of one type.

Diamond grinding plate BT, grit 20	#48747	Diamond grinding plate BT, grit 40	#48748	Diamond grinding plate BT, grit 60	#56374
Diamond segment SC 20	#48038	Diamond segment SC 40	#48041	Diamond segment SC 60	#56303



Diamond grinding plate, PCD

For aggressive removal of polyurethane varnishes, compounds and tile adhesives.

Not suitable for rolled asphalt screeds.

The described diamond plates, diameter 400 mm, are each delivered fitted with 6 diamond segments of one type.

Diamond grinding plate, PCD	#48750
PCD segment	#48028



Diamond grinding plate, PCD splinter

For removing thin epoxy resin layers, paint, synthetic resin, polyurethane and dispersion adhesives. Suitable for removing fleece backing and textile double backing. **Not suitable for soft screeds.**

The described diamond plates, diameter 400 mm, are each delivered fitted with 6 diamond segments of one type.

Diamond grinding plate, PCD splinter	#48751
PCD splinter segment	#48036



Basic grinding plate for diamond segments

400 mm diameter complete with segment holders for diamond segments.

#51840



Conversion kit for diamond grinding plates delivered up to 04/2008

For diamond grinding plates delivered up to 04/08 when the above listed segments are used (5 sets are required normally). Includes: Segment holder complete with mounting elements.

#48957



SIGMA 550

- Three-disc system for larger areas
- 4.0 kW consumption
- Can be disassembled for easy transport



Three-phase current grinder Sigma 550

Universal three-disc grinding machine for all grinding and milling work

#66176

- for larger areas
- with 3 grinding heads
- can be disassembled for easy transport
- easy tool change
- rugged housing
- perfect machine balance
- adjustable chassis and handle
- very good results for adhesive and levelling compound removal
- grinding and polishing wearing substrates

Technical specifications:

400 V, 4.0 kW, 50 Hz, working width 530 mm, limiting speed 715 rpm, dimensions (H x W x L) 1310 x 570 x 790 mm, weight 131 kg, suction connection 70 mm

Includes:

Three-phase grinding machine Sigma 550, segment holder for up to 18 diamond tools, hearing protection, without milling and grinding tools

Accessories:

Extension cable, 400 V, 16 A, 25 m	#15960
Segment holder Sigma	#66215
Brush ring Sigma	#66216

Recommended suction system:

T-Rex (see p. 30)	#13314
-------------------	--------


Image:

Three-disc plate with segment holder for Sigma

Sigma PCD segment, hard gold


For aggressive removal of adhesive and compound layers.
Provides a variety of options required for grinding.

#66214

**Sigma PCD segment soft gold**

For more careful removal of adhesive and compound layers.
Provides a variety of options required for grinding.

#66213

**Sigma diamond segment single, grit 6, purple**

A rough segment to remove various polyurethane- or epoxy-based finishes.
Works well on hard surfaces.

#66177

**Sigma diamond segment single BT, grit 16, silver**

Standard segment for concrete. To remove thin layers of paint and adhesive.
The segment creates a coarse-textured surface.

#66178

**Sigma diamond segment single ES, grit 16, silver**

Standard segment for soft to very soft surfaces (screed).

#69452

**Sigma diamond segment single BT, grit 25, gold**

For particularly efficient grinding of concrete flooring before applying primers and coats.

#66179

**Sigma diamond segment single ES, grit 25, gold**

For particularly efficient grinding of screed flooring before applying primers and coats.

#69453

**Grinding visible and wearing surfaces (grey, brown, black)****Sigma diamond segment double, grit 40-50, grey**

Finer segment for grinding concrete flooring. To remove thin paint layers.
Also used for pregrinding before grinding with the brown diamond segment (#66211).

#66180

**Sigma diamond segment double, grit 80, brown**

Finer segment to grind concrete, compounds, natural stone and terrazzo.
Also used for pregrinding before grinding with the black diamond segment (#66212).

#66211

**Sigma diamond segment double, grit 120-200, black**

To grind concrete, natural stone and terrazzo floors to achieve a smooth surface.
To create a non-gloss surface.

#66212



CT 200

- Ideal for small to medium-sized areas
- 2.0 kW consumption
- Variable tool insert



Floor milling machine CT 200

Floor milling machine with a wide range of applications

#13641

- for everything from cleaning to heavy milling jobs
- handy and compact machine for heavy-duty use
- continuous and precise adjustment of milling depth
- industrial vacuum cleaner connection for low dust emission

Technical specifications:

230 V, 2 kW, working width 200 mm, dimensions (H x L x W in cm) 97 x 80 x 36, weight 52 kg, milling capacity 10-30 m²/h (depends largely on the type of flooring, type of tool used and milling depth of machine), suction connection 50 mm

Includes:

Floor milling machine CT 200, hearing protection, **without milling drum**

Accessories:

Shafts for milling drum CT 200, set of 4 pcs.	#13646
Extension cable WOLFF, 25 m	#41811
Starting current limiter, external	#13639




Milling drum CT 200 with milling blades

To roughen concrete. To remove old residues such as adhesive, compound or paint on hard, solid substrates!

Not to be used on free floating screed.


Milling blade set for CT 200, 76 pcs.	#13643
Intermediate disc set for milling drum CT 200, 76 pcs.	#13644



Milling drum CT 200 complete with peeling blades

To remove old residues such as adhesive, compound or coating on soft substrates and floating screed.

Peeling blade set for CT 200, 40 pcs., 10 mm	#13649
Intermediate disc set for peeling blade drum CT 200, 72 pcs.	#13650



Milling drum CT 200 complete with star-shaped blades

To remove thin paint layers and roughen metal surfaces.

Star-shaped blade set for CT 200, 356 pcs.	#38924
Milling drum CT 200 (not shown) without blades	#13645



CT 250

- Ideal for small to medium-sized areas
- 7.5 kW consumption
- Variable tool insert



Floor milling machine CT 250

The most aggressive WOLFF floor milling machine! #13652

- aggressive machine for milling almost all surfaces
- to mill, roughen, clean or strip coatings
- rugged design
- industrial vacuum cleaner connection for low dust emission

Technical specifications:

400 V, 7.5 kW, working width 250 mm, dimensions (H x L x W) 99 x 104 x 44 cm, weight 135 kg, milling capacity 20-50 m²/h (depends largely on the type of flooring, type of tool used and milling depth of machine), suction connection 70 mm

Includes:

Floor milling machine CT 250, hearing protection, **without milling drum**

Accessories:


Shafts for milling drum CT 250, set of 6 pcs.	#15963
Hose set, 15 m, complete with connecting piece, end fitting, and hose clamp	#48373
Extension cable, 16 A, 25 m	#15960

Milling drum CT 250 with milling blades

To roughen concrete. To remove old residues such as adhesive, compound or paint on hard, solid substrates!

Not to be used on free floating screed.


Milling blade set for CT 250, 132 pcs.	#13654
Intermediate disc set for milling drum CT 250, 132 pcs.	#13655



Milling drum CT 250 complete with peeling blades

To remove old residues such as adhesive, compound or coating on soft substrates and floating screed.

Peeling blade set for CT 250, 36 pcs.	#15965
Intermediate disc set for peeling blade drum, 192 pcs.	#15966



Milling drum CT 250 complete with star-shaped blades

To remove thin paint layers and roughen metal surfaces.

Star-shaped blade set for CT 250, 226 pcs.	#38926
Intermediate disc set for star-shaped blade drum, 226 pcs.	#38931
Milling drum CT 250 (not shown) without blades	#15962



BS 180

- — Work right to the edge
- — 180 mm working width
- — Handy machine



Floor grinding machine BS 180

Hand-operated grinder for preparing subfloors.
Can work directly along walls!

#15930

#20724

115V/230V

Handy machine to grind stairs, platforms or rail systems near edges, and along walls in general

- comes with suction hood to work directly along walls
- removes unevenness and adhesive and paint residues
- comes with suction connection: spring-loaded suction hood ensures high suction capacity

Technical specifications:

230 V, 2.0 kW, 6,500 rpm, working width 180 mm, weight 7.8 kg

Includes:

Floor grinding machine BS 180, tool kit, hearing protection, carrying case, 1 diamond grinding disc, single row (#15932)

Floor grinding machine BS 180 accessories

Diamond grinding disc

For repairing concrete and removing coatings.

Diamond grinding disc, single row	#15932	Diamond grinding disc, double row	#15933
-----------------------------------	--------	-----------------------------------	--------



Diamond grinding disc Raptor

Extremely aggressive diamond grinding disc to remove very tenacious old flooring residues such as epoxy and other coatings. **Suitable for removal only!**


#15953



HM grinding disc

To remove adhesives and compounds.

HM grinding disc, 180 mm, grit 16	#15934	HM grinding disc, 180 mm, grit 24	#15935
-----------------------------------	--------	-----------------------------------	--------



Speed control

To reduce the speed of the floor grinding machine.

#15937

When using HM grinding discs on the BS 180 floor grinding machine, speed control must be used.



Mounting kit (not shown)

Mounting kit for all BS 180 grinding plates

#15931

STARVAC MI55



Starvac MI55

Compact and powerful vacuum cleaner for wet and dry cleaning

#60800

- fully automatic filter cleaning through patented system
- continuous speed control variable
- fully electrically conductive system including electrically conductive suction hose (4 m)
- casters, suction hose and extra flexible electric cable (7.5 m), leaving no marks
- dust class M

Technical specifications:

(H x W x L) 580 x 380 x 870 mm, weight 17.5 kg, inlet 35 mm, hose length 4 m (electronically conductive and leaves no marks), max. air volume 140 m³/h, max. pressure 22.00 kPa, mains voltage 220-240 V, max. consumption 1.38 kW, 54 l container capacity

Includes:

Starvac MI55, suction hose (4 m), suction wand, paper filter bag, wet/dry floor nozzle 300 mm, crevice nozzle, connecting piece for power tools (3 pcs.), drainage hose, 54 l container

Accessories:

Suction wand	#60944
Suction hose, 4 m	#60951
Floor nozzle	#60947
Aluminium floor nozzle, 370 mm	#62162
Crevice nozzle	#60950
Filter bags (5 pcs.)	#60948
Wet and dry vacuum cleaner filter	#61933
Dry vacuum cleaner filter	#60949
Starvac disposal bags (10 pcs.)	#62697

COMPACTCLEAN

- Compact dimensions
- 1.4 kW consumption
- Automatic switchon



Compactclean

#38909

Sturdy compact vacuum cleaner to vacuum dry dusts and return clean air to the working space. Suitable for spot vacuum cleaning, e.g. when drilling, or for general cleaning. Comes with automatic switchon when power is supplied through another device.

Technical specifications:

1.4 kW, (H x W x L) 740 x 380 x 380 mm, weight 10 kg, intake 50 mm, container volume 20 l, max. hose length 5 m, max. air volume 190 m³/h, max. vacuum 21 kPa, polyester fine filter surface 1.5 m² (separation rate 99.9 %), micro filter surface 0.85 m² (separation rate > 99.995 %), noise level < 68 dB(A), reducing piece 50/38

Includes:

Compactclean vacuum cleaner, 5 m suction hose 38 mm diameter (antistatic), floor suction nozzle, flat nozzle, suction pipe 38 mm diameter, 20 l container, fine filter (polyester), micro filter, Reducing piece 50/38

Accessories:

Suction nozzle, 50 mm	#38921
For machines with vacuum cleaner connection.	
Reducing piece 50/38 mm	#33886
Compactclean / Vacuclean flat nozzle	#42583

VACUCLEAN

- High performance vacuum cleaner
- 1.4 kW consumption
- Container volume, 40 l



Vacuclean

#21014

- high performance vacuum cleaner for suction cleaning and collecting e.g. of dust, grind particles and chippings from any grinding or milling work
- cyclone design with polyester filter and separate micro filter
- 40 l container is removed and emptied easily
- comes with automatic switchon when power is supplied through another device

Technical specifications:

(H x L x W) 1,060 x 440 x 550 mm, weight 19 kg, inlet 50 mm, hose length 5 m (diameter 38 mm), air volume (without hose) 190 m³/h, max. vacuum 24 kPa, supply voltage 230 V, motor consumption 1.4 kW, fine filter polyester surface 1.5 m², fine filter separation rate > 99.9 % (IEC 60335-2-69), micro filter surface 0.85 m², micro filter separation rate > 99.995% (IEC 60335-2-69), container volume 40 l, noise level 70 dB(A)

Includes: See description of Compactclean

Accessories:

Suction hose, diameter 38 mm:	
- 5 m with connecting piece	#51983
- 10 m with connecting piece	#51984
- 15 m with connecting piece	#51985
Suction nozzle, 50 mm	#38921
For machines with vacuum cleaner connection.	
Conical suction nozzle, can be cut to length	#33883
Reducing piece 76/50 mm	#33885
Reducing piece 50/38 mm	#33886
Fine filter (polyester)	#34278
Micro filter	#34279
Micro filter, filter class H (not suitable for asbestos)	#38922
Compactclean / Vacuclean flat nozzle	#42583

T-REX

- — Vacuums coarse dirt
- — 3.5 kW consumption
- — Accessories can be selected to meet individual needs



T-Rex

Powerful industrial vacuum cleaner for both coarse dirt and fine dust. Use our sets to create a customised vacuum cleaner!

#13314

- vacuums coarse dirt, construction dirt with screed chunks or fine dust from grinding
- manual shaking unit for easy cleaning of the fabric filter
- 50 l dirt container can be removed and emptied easily
- the industrial vacuum cleaner comes on rugged running gear with large wheels for convenient mobility
- works effectively and powerfully with a hose length of up to 15 m!!!

Technical specifications:

230 V, 3.5 kW, 50 l container, air suction capacity 570 m³/h, suction power 2,200 mmH₂O, filter surface 3 m², weight 65 kg, power cord 10 m, dimensions 58 x 60 x 125 cm

Includes:

T-Rex vacuum cleaner, fine dust filter

Accessories:

Starter Set T-Rex consisting of:	#40066
Suction hose, 50 mm, length 5 m	#13337
T-Rex 50 mm suction wand	#13335
T-Rex roller nozzle	#13336
TS 40/T-Rex 50 mm end fitting	#13339
T-Rex 50 mm connecting piece	#13340
Hose clamp, 40 - 60 mm	#13445
Reducing piece 50/38	#33886
T-Rex suction nozzle, round	#14262
Connecting kit , 50 mm, consisting of:	#48376
TS 40/T-Rex, diameter 50 mm end fitting	#13339
T-Rex 50 mm connecting piece	#13340
Hose clamp, 40 - 60 mm	#13445
Hose kit , 70 mm, consisting of:	#48373
Suction hose, 70 mm diameter, 15 m	#48371
70 mm end fitting	#14273
70 mm diameter connecting piece (T40 & T-Rex)	#14268
Hose clamp, 60 - 80 mm	#14269
Connecting adapter 70/50	#61802
Fine dust filter	#14261
T-Rex absolute filter	#51152
Roller nozzle brush set	#56026
T-Rex 70 mm add-on nozzle consisting of:	#14263
Add-on nozzle brush set	#14264
Add-on nozzle rubber lip	#14265

CCM instrument WOLFF

Complete set with all instruments required to measure the moisture content. Metal carrying case.

#13486

Includes:

Pressure bottle, pressure gauge, spring scales, weighing scales, sledge hammer, flat chisel, smashing bowl, balls, 20 carbide phials, 1 test phial, metal carrying case

Accessories:

Carbide phials 20 pcs.	#15868
Carbide phials 100 pcs.	#13662
CM pressure gauge	#15874
Digital CM pressure gauge	#15876
Test phials, 10 pcs.	#14020
Seal rings (3 small + 3 large rings)	#15872
Ball set, 4 pcs.	#14019



PressoMess shear strength measuring instrument

Special measuring instrument for assessors and reviewers from the flooring industry

#16273

To measure the shear strength of substrates, such as screed, compounds and wooden material.

- shear strength is measured with a hydraulic sensor
- shear strength can be read off the display
- tested by the Materials Testing Institute at the University of Stuttgart (MPA Stuttgart, Otto Graf Institute (FMPI))
- max. test load 5 kN

Includes:

PressoMess, distance template, hand-held spatula, mixed adhesive, 20 pairs of wooden blocks, carrying case

Accessories:

Supporting blocks, 100 pcs.	#13922
Test blocks, 100 pcs.	#13923
Mixed adhesive	#13926



Substrate test kit

Contains all the equipment needed to test substrates and carry out all moisture tests in preparation for CCM measurement.

#52556

1. Thermohygrometer W-TH (see p. 33)

The W-TH combines thermohygrometer, laser pyrometer, and dew point alarm device in a single instrument.

2. Screed moisture indicator W-ES (see page 33)

Hand-held instrument for quick and non-destructive measurement of moisture content.

3. Scratcher (see p. 33)

Set consists of scratcher, scratch template and protective bag.

4. Measuring wedge (see p. 33)

To measure the lowest point between 2 support points of the straightedge. Measuring wedge can be read from above.

5. Practical accessories (see p. 33)

Chisel with hand protector, folding rule, hammer, pencil and wire brush.

Includes:

Sturdy wooden case, thermohygrometer W-TH, screed moisture indicator W-ES, screed and levelling compound tester, chisel with hand protector, hammer, measuring wedge, wire brush, folding rule, pencil.



Hydromette RTU 600

Universal instrument to measure moisture in building material, wood and air, and temperature.

#13629

Construction moisture conversion per material:

- wood moisture 4 - 100%. Max. wood thickness 50 mm.
- relative humidity 7 - 95%
- temperature -10 - 35 °C

Includes:

RTU 600, punch-in electrode M20, measuring tips (steel pins), 2 push-in electrodes M6, contact paste, measuring cable MK8, RF-T sensor, carrying case



Punch-in electrode M20, incl. 20 nails

To measure depths in soft, set materials (plaster, gypsum etc.).

#13928

- electrode body made of impact resistant plastic
- with pairs of 10 electrode tips, 16 mm and 23 mm long



Pair of push-in electrodes M6, incl. 6 nails

To measure hard, set materials (concrete, screed etc.)

#15883

- incl. 6 nails
- only in combination with contact paste



Pair of flat electrodes M6 Bi200 (200 mm)

To measure screed / insulating material in edge / floating joints (isolated handle)

#43606

- in combination with the pair of M6 electrodes. 10 x 0.8 x 200 mm.



Electrode needles for M6

Length:	23 mm	40 mm	60 mm
Electrode needles for M6 (100 pcs.)	#15885	#15886	#15888



Sensor B 50

With integrated electronics to detect moisture in all types of component non-destructively and to detect moisture in walls, ceilings and floors.

#15882



Temperature sensor ET10

Robust stick-in temperature sensor for solid substances, bulk materials and fluids.

#65603

- 100 mm-long probe, 3 mm diameter
- Measuring range: -50 to +250°C



Surface temperature probe OT 100

To measure surface temperature.

#15889



RFT 28 active electrode for sensor

To measure temperature and relative humidity quickly.

#15881



Measuring cable MK 8

Can be used for all electrodes. Length 1 m.

#13927



Contact paste

To measure hard materials (screed, concrete) in combination with the M6 electrodes.

#15884



Thermohygrometer W-TH

The W-TH combines thermohygrometer, laser pyrometer, and dew point alarm device in a single instrument. Three operating modes and numerous measuring functions – all selectable with only one hand using the thumbwheel – make the W-TH a pocket-sized measuring station.

#50610

- TH mode with thermohygrometer functions
- in IR mode, the W-TH can be used as a laser pyrometer to measure surface temperature with position marking
- dew point alarm function in DP mode
- visual and acoustic alert when temperature deviations occur
- quick identification of weak spots

As in practice an indicator will frequently be exposed to dirt and dust, which may distort measurement results and reduce sensor service life, all W-TH indicators are equipped with a metal grid filter as standard!



Screed moisture indicator W-ES

The W-ES is a professional hand-held instrument for quick and non-destructive measurement of moisture content in near-surface areas up to 4 cm.

#50615

- continuous real-time display of measured values on easy to read display
- suitable for preliminary checks to determine the dryness of materials for CM measurements
- minimum, maximum, and hold functions to evaluate measured values directly
- custom alarm limit, including with acoustic signal



Material moisture indicator W-MM

The W-MM is a professional hand-held instrument to measure the exact moisture content of wood and other materials based on the resistance method.

#50609

- measures moisture in wood and other materials with a single instrument
- autocalibrating
- easy one-hand operation
- selection of hundreds of different wood types
- numerous validated material curves with material numbers
- 170-page wood type index included
- special function for real-time temperature compensation of the measured material
- current measured value can be saved via the hold function

Accessories:

Replacement tips

#52703



Measuring wedge

To measure the lowest point between 2 support points of the straightedge. Measuring wedge can be read from above.

#13628



Scratcher

Using the scratch method, parallel lines are scratched into the floor at an angle of 40-60°. The scratched grid and the torn-out parts of the floor are used to assess the strength of the floor.

#13803

Includes:

Scratcher, scratch template, protective bag



SCREED JOINT CUTTER EF 135

NEW

- Variable depth adjustment
- Efficient dust extraction and time-saving
- Very useful



Screed Joint Cutter EF 135

New tool by WOLFF for time-saving and dust reduced cutting of cementitious based substrates. Ideal for stress induced joints and expansion joints. The perfect solution for clean, precise and efficient working

#68679

- Cutting depth up to 35 mm
- Variable depth adjustment
- Cutting disc guide
- Very useful
- Efficient dust extraction
- Rollers allow convenient cutting

Technical specifications:

230 V, 1,400 W, 12,000 rpm, cutting depth 35 mm, weight approx. 5 kg

Includes:

Screed joint cutter EF 135, DIA cutting disc Ø 135, connecting piece for industrial vacuum cleaner, protective goggles, hearing protection, tool kit

Accessories:

Starvac vacuum cleaner	#60800
DIA cutting disc EF 135	#68602

Power X 900

900 Watt 1speed gear mixer	#66936
• Robust 1-speed gear unit • Variable speed adjustment through switch • Ergonomic handles • Entry-level mixer for painters and floor layers • For mixing fluid mortar (e.g. levelling compounds) • Perfect for mixing small containers up to 25 kg • M14 thread	
Technical specifications:	
230 V, 900 Watt, 200-750 rpm	
Includes:	
Power X 900, Stirrer type KR 120 S/M14	
Accessoires:	
Extension 200 mm for Power X mixers	#68353



NEW

Power X 1100

1.080 Watt 1 speed gear mixer with speed control	#66938
• Robust 1-speed gear unit • Solid-shaft electronics: Soft-start, temperature control, overload protection • Variable speed control through throttle switch • Ergonomic handles • Proven standard mixer for painters and tilers • For mixing viscous mortar (e.g. fast screed, wall plaster, tile adhesive) • M14 thread	
Technical specifications:	
230 V, 1080 Watt, 150-530 rpm	
Includes:	
Power X 1100, Stirrer type KR 120 S/M14	
Accessoires:	
Extension 200 mm for Power X mixers	#68353



NEW

Power X 1300

1.260 Watt 2 speed gear mixer with speed control	#66939
• Robust 2-speed gear unit • Ergonomic handles on drive unit • Variable speed control via potentiometer knob • Solid-shaft electronics: Soft-start, temperature control, overload protection • Combined mixer floor layers • For mixing fluid and viscous mortar (e.g. levelling compounds) • Perfect for mixing big containers up to 75 kg (in combination with WOLFF stirring station 75l with double wing stirrer #65480) • M14 thread	
Technical specifications:	
230 V, 1260 Watt, 150-530 / 200-750 U/min	
Includes:	
Power X 1300, Stirrer type KR 120 S/M14	
Accessoires:	
Extension 200 mm for Power X mixers	#68353




NEW

Stirrer, MK type

Rugged professional stirrer with long service life. 3 mixing wings for fast mixing. Great mixing from bottom to top. Machine pod with M14 thread.

Stirrer, MK type 120 mm

#13604



Stirrer, KR type

Very high shear forces and easy to clean. Suitable for very viscous adhesives or seals and gypsiferous or bituminous materials. Ideal for compounds. Prevents clotting. Machine pod width across flats is 10.

Stirrer, type KE 90S

#13605

Stirrer, type KE 120S

#13606

Stirrer, type KE 120S (M14 thread)

#17057



Swiss trowel

500 mm

#56204



Adhesive trowel

With lateral insert, 280 mm

#56205



Smoothing trowel

280 x 135 mm

#56203



Grinding stone

To grind compounds and screed.

Grinding stone

#13493



HM grinding stone

For rough grinding or to remove coarse dirt. Contains hard metal splinter for aggressive action. Angled work surface for grinding along walls.

HM grinding stone, grit 24

#15718

HM grinding stone, grit 18

#15719



Stirring station, 75 l, complete

Complete stirring station to mix up to 75 kg of powder products. #65480

- 2-stop tip system for perfect balance
- perfectly matched tools
- suitable for all types of stirring machine thanks to special mounting

Includes:
Base frame, mixing bucket 75 l, mounting, stirrer for stirring station, hose holder

Accessories:	
75 l stirring station base frame	#65481
75 l stirring station mounting	#65491
75 l stirring station stirrer	#65492
75 l stirring station mixing bucket	#65493
75 l stirring station hose holder	#65494



Stirrer for 75 l stirring station

Large double-wing stirrer to mix up to 75 kg of powder products. #65492



30 l transportation caddy including mixing bucket

To mix up to 30 kg of powder products. #65846

- 2-stop tip system for perfect balance
- suitable for all common 30 l buckets

Includes:
Transportation caddy base frame, 30 l mixing bucket

Accessories:	
Transportation caddy base frame	#65848
30 l mixing bucket	#65847
Pouring spouts	#15829



Ergostar spatula - the Number 1!

- shaped, resilient grip for an improved and ergonomic hold
- no rivets used to fix the grip channel, allowing for easier cleaning

Ergostar spatula, 21 cm	#41784
Ergostar spatula, 28 cm	#41787



Interchangeable spatula

For use with tooth profiles.

Interchangeable spatula, 21 cm	#13378
Interchangeable spatula, 28 cm	#13381



Adhesive spatula

Working width	18 cm	25 cm
Adhesive spatula, A1 toothing	#13761	#15569
Adhesive spatula, A2 toothing	#13876	#13886
Adhesive spatula, B1 toothing	#13877	#13841
Adhesive spatula, B2 toothing	#15566	#15570
Adhesive spatula, B3 toothing	#15567	#15571
Adhesive spatula, B11 toothing	#38622	#39923
Adhesive spatula, w/o toothing	#15568	#15572



Height levelling spatula

For use with tooth profiles.

	#15582
--	--------



Sample collection

For WOLFF adhesive profiles with TKB toothing

	#51771
--	--------



Adhesive interchangeable spatula 28 cm with handle

- to apply adhesive while standing
- special hinge imitates movement of the hand
- easy to clean thanks to special design

#65495

Includes:

Universal telescopic handle, adhesive interchangeable spatula, handle bracket

Accessories:

Replacement adhesive interchangeable spatula	#65496
Universal telescopic handle	#65497
Handle bracket	#67983



Smoothing compound rake, 56 cm with handle

- to apply smoothing compound while standing
- special hinge imitates movement of the hand
- easy to clean thanks to special design

#65501

Includes:

Universal telescopic handle, smoothing compound rake, handle bracket

Accessories:

Replacement smoothing compound rake	#65502
Universal telescopic handle	#65497
Handle bracket	#67983



Large area rake, 60 cm with handle

- to apply smoothing or levelling compound while standing
- 2 adjustable pins for height adjustment
- special hinge imitates movement of the hand

#65503

Includes:

Universal telescopic handle, large area rake, handle bracket

Accessories:

Replacement large area rake	#65504
Universal telescopic handle	#65497
Replacement pins for large area rake, 1 pair	#65505
Handle bracket	#67983



Universal telescopic handle

- to work ergonomically while standing
- suitable for various attachments
- can also be used with spike rollers with special adapter

#65497

Accessories:

Adapter for spike rollers	#65499
Adjustable handle	#67983




Nylon roller, 20 mm

For applying floor adhesives, bituminous coatings, polyester coatings, two-component varnishes and acidproof coatings - extremely rugged and solvent resistant.

Without roller handle.

Nylon roller	#13763
Roller handle	#15551




Super fine foam roller, 20 mm

For applying varnishes and coatings; suitable for synthetic enamels, acrylates, scumbles, primers and prevarnishes. CFC-free polyester foam.

Without roller handle.

Super fine foam roller	#15552
Roller handle	#15551



Roller container

For storing used application rollers.
Effectively prevents the roller drying out.

Roller container	#41789
------------------	--------



Rake

To apply self-levelling compounds. Mount for wooden handle to work while standing. Working width, 56 cm. Rake insert with R2 toothing included

Adhesive profiles, 56 cm, 10 pcs.

R1 toothing	#13397
R2 toothing	#13396
R3 toothing	#51546





Pin leveller

With mounting sleeve for handle or telescopic pole, angular steel mounting piece with exchangeable steel blade, 100 mm high, 0.6 mm thick, 2 continuously adjustable gliding rails for level adjustment to any application depth between 6 and 30 mm. Working width 800 mm.

Steel blade	#13659
Gliding rails, 2 pcs.	#13660



WOLFF adhesive profiles, toothed on both sides, in accordance with the Technical Commission on Construction Adhesives (TKB) 10 pcs., delivered in plastic box								
Image in original size	TKB					Width 21 cm	Width 28 cm	Width 56 cm
	A1	0.50	1.50	1.10	55°	#13367	#13382	-
	A2	1.30	1.70	1.40	55°	#13373	#13388	-
	A3	0.40	1.60	1.50	45°	#13374	#13389	-
	A4	0.40	1.10	0.75	55°	#13375	#13390	-
	A5	1.45	1.35	1.00	55°	#13376	#13391	-
	B1	2.60	2.40	2.00	55°	#13370	#13385	-
	B2	2.00	3.00	2.55	55°	#13371	#13386	-
	B3	3.30	3.70	3.25	55°	#13372	#13387	-
	B9	9.90	6.10	5.00	60°	-	#33754	-
	B11	7.90	6.10	5.00	60°	#13380	#13399	-
	R1	1.50	4.00	3.00	-	-	-	#13397
	R2	2.00	4.00	5.00	-	-	-	#13396
	R3	2.40	5.00	6.00	-	-	-	#51546
	S2	0.10	4.20	3.35	60°	#13404	#13410	-
	S3	0.10	2.50	1.75	65°	#13409	#13413	-
	S4	0.10	10.30	5.05	90°	#13379	#13398	-

Spike rollers

For ventilating compounds and coatings.
Splash guard included.

Working width:	25 cm	50 cm	75 cm
Pin length, 11 mm	#13879	#13762	#14270
Pin length, 21 mm	#14272	#14021	#14271
Pin length, 31 mm	#13637	#13636	#13638

Accessories:

Universal telescopic handle (shown on p. 37)	#65497
Adapter for universal telescopic handle (shown on p. 37)	#65499



Nail shoes

For walking on coated or filled substrates and surfaces.

#51549

Includes:

Nail shoes, set of spare nails, 2 spare straps



Copper band

For applying conductive flooring. To discharge electrostatic charge.

Roll 50 m	#13594
Roll 200 m	#13595
Self-adhesive roll 2x 25 m	#54874



Corrugated links

To fix down flexible joints and repair flawed parts of the subfloor.
For friction-based sealing of expansion joints, e.g. with UZIN KR-416.
70 mm long, 2 mm wide.

Corrugated link, 1,000 pcs.	#13932
Corrugated link, 100 pcs.	#13878



APPLYING FLOORS

Linoleum | Vinyl | rubber

Textile floors

Wooden floors

Linocut seam cutter

Improvement on a classic tool.

#40262

**Perfect seams for all resilient and needle punch floor coverings.
Different stops for a range of applications!**

- patented technology
- top design
- straight cut without straight edge
- simple, ergonomic handling
- cuts from wall to wall
- two blades to cut in both directions
- cuts the top edge and uses the bottom edge as guide
- can be used on material placed into wet adhesive
- extremely safe
- seam depth can be adjusted

Includes:

Linocut, standard stop metal sheet (2 mm),
stop for needle punch carpet (4 mm),
10 spare blades (2 already mounted)

Accessories:

Spare blades, 10 pcs.

#13429

Stop plates for additional applications:

Standard stop (2 mm)

#13430

Stop for carpet (8 mm)

#13432

Stop for needle punch carpet (4 mm)

#13431

Stop for edge cutting

#13449

The edge cutting width can be adjusted from 1.5 - 6 cm in three steps.
Suitable for all versions of the Linocut.

Counter stop for Linocut


#60676

To use the Linocut as counter scriber or cutter to work directly along the wall.
Suitable for all versions of the Linocut.




○ — The original!

○ — includes 2 guides
for more versatile usage



Stop for edge cutting #13449



Counter stop for Linocut #60676



TIP

**Order our brochure for flooring professionals
incl. DVD from WOLFF:**

- Applying linoleum I PVC I rubber
- Removing flooring
- Preparing subfloors.

WOLFF GreenCut

Practical multi-function device • for cutting seams • for neat trimming of factory-cut edges • incl. 2 stops for needle punch and resilient floor coverings • all-metal tool construction • suitable for right- and left-handed users	#63998
--	--------

Includes: GreenCut seam and edge cutter, 4 mm stop, 2 mm stop, 3 feeders (5 mm, 10 mm, 15 mm), spacer, 10 hooked blades, 10 straight blades


Spare blades:			
Straight blades	#13419	Hooked blades	#13421



Strip cutter

For cutting strips, e.g. for skirting boards, friezes or stairs, and for trimming factory-cut edges.	
For 0 - 8 cm strips (without web)	#13350
For 3 - 20 cm strips	#13351
For 6 - 30 cm strips	#13352

Accessories:	
Spare blades, 5 pairs	#13353
Web, 5 pcs.	#13947
Conversion kit,to use hooked blade.	#13354
Hooked blades, 100 pcs.	#13421



Electric strip cutter for linoleum and PVC

LS 35 (35 cm cutting width)	#15661
LS 65 (65 cm cutting width)	#16148

Ideal for material that is heavy to cut.
For cutting skirting board strips, friezes or stair covers.

Technical specifications: 1.01 kW, 10,000 rpm, HM saw blade, max. strip width 35 cm / 65 cm, max. material thickness 6 mm

Includes: LS 35/LS 65, tool kit, protective goggles, hearing protection, dust bag

Accessories: Saw blade	#15662
----------------------------------	--------



Linoleum edge cutter

Used to pre-cut the factory-cut edge to remove stress along seams and/or transportation damage.

#15605

Includes:

Linoleum edge cutter, 2 blades

Accessories:

Pointed blades, 5 pcs.

#13358



Universal lever tile cutter

Perfect cutter for all textile and soft PVC tiles. Accurate and fast.

#15663

Technical specifications:

- max. cutting width, 71 cm
- maximum tile thickness to be cut, 10 mm
- with stop for 45° cuts

Includes:

Lever cutter, blade for hard floors, 45° stop

Accessories:

Blade for hard floors

#15665

Blade for textile floors

#15664



Circular cutter

WOLFF circular cutter and scribe for resilient and textile flooring as well as parquet and laminate.

#15626

For precise cutting or scribing of circles and circle segments with a diameter of up to 260 cm - over 28 m with extension rails.

- precise, reproducible circles
- fixed with suction cups
- quick radius adjustment
- scribing, cutting or milling
- knurled screw for exact depth adjustment of the blade

Includes:

Professional circular cutter, Plexiglass disc with adhesive strips, extension rails up to 130 cm radius, pencil, spare blades, carrying case

Accessories:

Spare blades, 6 pcs.

#15625

Extension rails up to 4.86 m radius

#15629

Connecting piece for top milling machine

#15627

Adapter for corner and wall radius. To create a circle segment centred on a wall corner or a point along a wall.

#15631

Joint planer for circular cutter

#15628

Spare blade

#13427



Design Collection

The complete set for laying design floors #55035

Includes:
Linocut seam cutter, FasTrimmer for chamfering the floor backing,
Duo pressure roller, mitre-box scissors for design floors



Pressure rollers for flooring

With carrying handles for more convenient transportation.
• Each roller consists of 4 rolls that adjust perfectly to the floor.
• The extremely narrow spaces between the rollers avoid blistering.

Pressure roller, 30 kg #56401

Pressure roller, 50 kg #56402

Pressure roller, 68 kg #56403

Accessories:

Running gear for pressure rollers #56404



Pressure roller for flooring

Ideal for pressing all types of flooring on small to medium-sized areas. The rolls adapt to uneven floors. The surface pressure can be changed by changing the body weight. Also suited for left-handed users.

#15834



Duo pressure roller

#20859



Rubber with removable felt coat, with handle

Handy, lightweight rubber for convenient operation while standing. Ideal for textile and resilient floor coverings. Rubbing width 40 cm, zinc plated.

#62694

Includes:

Rubber with handle, felt coat

Spare part:

Felt coat for rubber

#61201



Rubbing hammer

Forged in a single piece.

#13619



Cork rubbing board

30 x 12 x 2.5 cm

#60505



FasTrimmer

To create an **edge chamfer of 25° at the surfaces** of PVC tiles and design floor coverings after they have been cut. Comes with a quick stop for fast chamfering material off the floor or for chamfering in the adhesive bed!

#15621

Includes:

FasTrimmer, quick stop, carrying bag, 6 spare blades

Accessories:

Stop for chamfering the floor backing of PVC tiles and design floors and removing tear-off edges

#15622

Spare blades, 6 pcs.

#15625



FasTrimmer

Comes with stop for **chamfering floor backing** and cleaning folded edges.

#15623

Includes:

FasTrimmer, stop for chamfering floor backing, carrying bag, 6 spare blades

Accessories:

Spare blades, 6 pcs.

#15625



Joint planer with guiding pin

Adjustable groove depth.

#13424

Accessories:

Spare blades, 10 pcs.

#13425



Joint planer with guiding wheels

Two small wheels to guide along the seam. Adjustable groove depth, 4-knife blade.

#13423

Accessories:

Spare blade

#13427



Combi scriber

For scribing and cutting resilient floorings.
Can be used as scriber and counter scriber.

#13357

Includes:

Combi scriber, 2 scriber needles for linoleum and 2 pointed blades for PVC and rubber (in the handle)

Accessories:

Scriber needles, 20 pcs.

#13356

Pointed blades, 5 pcs.

#13358



Stair scriber

For scribing stair flooring.

#15620

Accessories:

Scriber needles, 20 pcs.

#13356



Seam scriber

For scribing hard flooring. Adjustable scriber needle.

#13355

Accessories:

Scriber needles, 20 pcs.

#13356



Wall scriber Magic Wand

For transferring the wall line to the flooring.
The distance from wall can be set from 2 cm to 35 cm.

#16145

Accessories:

Scriber needles, 20 pcs.

#13834



Seam trimmer

For trimming welded seams at inside and outside corners.

#13485

Includes:

Seam trimmer, 1 round blade 6 mm

Accessories:

Round blade, 6 mm

#13813

Round blade, 12 mm

#13868

Flat blade

#13870



Groover for rubber floors

#13842

Accessories:

Spare blades, 10 pcs.

#13843



Groover

Adjustable guide, 4-knife blade.

#13426

Accessories:

Spare blade

#13427



Welding rod roll

To press the weld rod into the joint.

Welding rod roll, 25 mm

#15610

Welding rod roll, 15 mm

#15611



Push-off knife

For removal at skirting boards. With lateral distance piece.

#14538

Accessories:

Spare blade

#14539



Mozart Speed Trimmer

The new Mozart Speed Trimmer can relief cut and finish cut in a single pass and in an upright position. The cutting procedure, blades and distance forks are the same as for the Mozart push-off knife. The distance fork under the pre-cut blade can be swung out.

Includes:
Mozart Speed Trimmer, complete, with blade and 0.5 and 0.7 mm strength distance forks, boxed, telescopic handle

#62183



Mozart push-off knife

The universal solution for pushing off weld seams safely, cleanly and fast. Integrated slide for precutting, exchangeable blade, exchangeable distance forks for variable heights, no scratched or damaged surfaces, internal cutting edge excludes injuries, ergonomic handle, no rework or touch up required.

Includes: Push-off knife with blade and 0.50 mm distance fork

- Accessories:**
- | | |
|------------------------|--------|
| Spare blades, 5 pcs. | #49876 |
| Distance fork, 0.50 mm | #50772 |
| Distance fork, 0.70 mm | #51270 |
| Spare screw set | #59856 |

#49875



Quarter moon knife

To remove the weld rod, top quality.

#13451



Quarter moon knife

To remove the weld rod, angled.

#13452



Quarter moon knife

To remove the weld rod, bent.

#13453



Weld seam slide

#13450



Safety bag

Leather, for quarter moon knife

#60078



Diamond grindstone

To sharpen all knives and blades. In a wooden case, grinding surface 153 mm x 50 mm.


#13491



Diamond grindstone

For sharpening. Collapsible, fits any bag, grinding surface 110 x 22 mm.

#15714



FRÄSMASTER

- Automatic depth control
- Electronic speed control
- No wedging



Joint grooving machine Fräsmaster The number 1!

The powerful WOLFF floor joint groover with hard metal grooving disc

#13305

#15711

115V 230V

- automatic depth control to ensure full grooving of joints even on uneven substrates
- comes with adjustable lateral guiding wheel, e.g. for applying studded rubber floors
- faster and more powerful thanks to improved power transmission
- improved chip pan for low dust emission
- hand guard when machine is raised to prevent accidents
- simplified process for changing grooving discs
- simple setting of grooving depth up to 5 mm - even on very uneven floors
- 3 wheels for perfect running gear stability to avoid wedging
- floor surface will not be damaged as the grooving disc recesses automatically when the handle is lifted
- integrated electronic starting current limiter for a soft start

Technical specifications:

230 V/115 V, 1.5 kW, 6,000 - 10,000 rpm, soft start, semicircular HM grooving disc 3.3 mm, 12 teeth, diameter 130 mm

Includes:

Fräsmaster, HM grooving disc 3.3 mm, tool kit, dust bag, protective goggles, hearing protection, Systainer box

For accessories, see Fräsjunior

FRÄSJUNIOR

- Up to depth of 5 mm
- Clean start
- Versatile use



Joint grooving machine Fräsjunior

For grooving all types of elastic flooring.

#56092

#15712

115V 230V

- simple grooving setup up to a depth of 5 mm
- perfect three-point support to prevent wedging
- clean start using the dive-in principle
- new generation of motors with higher speed
- improved removal of chips

Technical specifications:

230 V/115 V, 1.5 kW, 8,000 rpm, semicircular HM grooving disc 3.3 mm, 12 teeth, diameter 130 mm

Includes:


Fräsjunior, HM grooving disc 3.3 mm, tool kit, dust bag, protective goggles, hearing protection, Systainer box

Accessories for Fräsmaster and Fräsjunior:

Elliptic grooving disc, 3.8 mm	#13459
Combi grooving disc, 5 mm	#13461
Elliptic diamond grooving disc, 130 mm, 4 teeth, 3.8 mm	#13460
Semicircular HM grooving disc, 3.3 mm	#21208

WELDMASTER

- Digital temperature control
- Robust and compact design
- Best welding results



Automatic welding machine Weldmaster

Special nozzle for PUR floors to avoid thermal shock or burns. The WOLFF automatic welding machine for all demands.

#56255

#56259

#52260

115V 115V 230V
UK
US

- digital thermometer for exactly defined temperature pre-selection
- compact design
- central key pad for easy operation
- can be used for all elastic floor coverings (PVC, linoleum, polyolefin, India rubber) without retrofitting the machine
- variable surface pressure for improved welding results
- 4-end welding nozzle: 4 individual nozzles for exact hot air distribution control
- mechanically movable parts have been reduced to a minimum for a rugged and compact machine
- automatic wall turnoff with lifting device: the ventilator continues to blow and the air is directed sideways and upwards. The front section of the machine is lifted from the floor at the same time. The next joint can be welded instantly

Technical specifications:

Materials: PVC, linoleum, polyolefin, India rubber, speed 1.7-5.8 m/min, voltage 230 V, total consumption 3.1 kW Temperature 20-600 °C, weight 14 kg

Includes:

Automatic welding machine, carrying case

Accessories:

Heating element, 3.0 kW

#13480

MILLING AND WELDING SET COMBI



Milling and welding set Combi

We have put together a set which is unique on the market specifically for floor tilers, interior decorators and painters who lay small- or medium-sized elastic floors regularly, but not every day.

#56357

#60856

115V 230V
US

Includes:

- joint grooving machine Fräs junior
- the hand-operated welding machine Weldliner
- a quarter moon knife with safety bag
- a weld seam slide
- a single nozzle 5 mm
- a quick welding nozzle 5 mm

Hand-operated welding machine Weldliner

Hand-operated welding machine to the highest WOLFF technical standard

#33330

#56178

- fully electronic temperature and air volume control
- continuously adjustable air volume and temperature
- easily exchangeable heating element
- brushless motor for long service life
- rugged casing
- power cord can be replaced without opening casing

Technical specifications:

230 V/115 V, 2.3 kW, continuously adjustable temperature 50-600°C, continuously adjustable air volume, max. air volume 600 l/min, air pressure 3,000 Pa, outlet tube suitable for screw-on "Professional" nozzles (diameter 30 mm), weight 850 g (without power cord) Dimensions: length 375 mm, DIAMETER 100 mm (at impact protection)

Includes:

Weldliner, single nozzle 5 mm, quick welding nozzle 5 mm



Leister Triac set

Hand-operated Triac S welding machine with electronic control and cooled protection tube. Case includes comprehensive accessories.

#13463

#15678

Comes with diamond grindstone to sharpen quarter moon knives.

Technical specifications:

230 V/115 V, Total consumption 1.6 kW, heating element 1.55 kW, temperature 20-650°C

Includes:

Triac S, single nozzle 5 mm, quick welding nozzle 5 mm for polyolefin, joint planer, diamond grindstone, quarter moon knife, weld seam slide, pressure roller 15 mm, cleaning brush, in Systainer box



Leister Triac S

Hand-operated welding machine, separate, as described in the set.

#13307

#17532

Includes:

Triac S, single nozzle 5 mm

Accessories:

Heating element 1.55 kW for Triac S 230 V

#13464

Heating element 1.55 kW for Triac S 115 V

#15680



Leister Triac PID

Hand-operated welding machine with electronic control and digital temperature display of actual and set values. Heating element with cooled protection tube for safety at work.

#13310

Technical specifications:

Total consumption 1.6 kW, heating element 1.55 kW, temperature 20-650 °C

Includes:

Triac PID, single nozzle 5 mm

Accessories:

Heating element, 1.55 kW

#21200



Leister Electron

To heat PVC flooring and skirting boards.

#13474

Technical specifications:

Heating element 3.3 kW, temperature 20-650 °C

Includes:

Electron, **without nozzle**

Accessories:

Heating element, 3.3 kW

#13475

Round nozzle

#13476



PUR welding nozzle

Burns on the floor surface are definitely a thing of the past! Special nozzle for thermal welding and jointing of elastic floor coverings which have a factory-applied polyurethane coating.	#47049
--	--------



Single nozzle

5 mm	#13465
------	--------



Quick welding nozzle

5 mm	#13308
------	--------



Quick welding nozzle for polyolefin

Inlet 4 mm	#13466
Inlet 5 mm	#41213



Correction nozzle

	#13469
--	--------



Mipolam nozzle

	#13467
Accessories:	
Welding rod roll, 25 mm	#15610
Welding rod roll, 15 mm	#15611



Gooseneck nozzle

	#13468
--	--------



Radiator nozzle

	#13470
--	--------



Broad nozzle

20 mm	#19524
20 mm, angled	#13472
40 mm	#13473



Quick welding nozzle

For elastic wall coverings	#13471
----------------------------	--------



WOLFF Wallmaster

Special tool to bond skirting boards and form covers.

#60890

- height is clearly marked
- mitre joints in internal and external corners can be cut comfortably
- the corners of floor coverings are levelled and pressed down neatly without the risk of piercing the floor covering

Accessories:

WOLFF Wallmaster straight edge


#61394



WOLFF Wallmaster straight edge

#61394

WOLFF Wallmaster is recommended by:



Processing instructions:

Day 1

Before laying: Apply a heat-activated adhesive (UZIN DK 290 recommended) with B1 toothing.

Day 2

Lay the floor covering to skirting height with protrusion. Fold back the PVC floor covering and apply suitable wet-bed adhesive (UZIN KE 66 recommended) with A2 toothing.

Lay the covering into the aerated adhesive bed and rub in. Heat the floor covering in the skirting area from behind with the Leister Electron and fit to the internal angle. Cut the mitre using the WOLFF Wallmaster.

Then reactivate the heat-activated adhesive (UZIN DK 290) with the Leister Electron and press down the floor covering cleanly into the corners and along the wall with the WOLFF Wallmaster.

Day 3

Thermal weld the seams on the floor and in the corners.



Carpet cutter

Carpet cutter specially designed for woven and tufted fine velours. The extremely fine guiding pin is accurate even in very tight stitch lines.	#65659
Includes:	
Carpet cutter, slot hole blades	
Accessories:	
Slot hole blades	#65755

Recommended by:

GIRLOON

INFLOOR
carpet-fashion



Carpet awl

For optimum guidance along the stitch line.	#65660
---	--------

Recommended by:

GIRLOON

INFLOOR
carpet-fashion



Mittag cutter

For all textile floorings without foam backing. Cuts from top to bottom.	#15641
Accessories:	
Spare blades, 10 pcs.	#13454



Double head stretcher

Developed and manufactured by WOLFF to balance pattern drift and correct lanes and seams. Can be adjusted to any carpet by setting the coarse and fine grippers.	#15781
Includes:	
Double head stretcher, carrying case	
Accessories:	
Pulling angle	#15782
The pulling angle converts the double head stretcher into a tubeless power stretcher.	

Recommended by:



Adjustable knee kicker

With coarse and fine grippers. Coarse grippers comes with depth adjustment to adjust to the flooring. Length adjustment in 5 steps from 50 to 60 cm.	#51509
Accessories:	
Impact padding	#15797
Fine gripper insert, 3 pcs.	#15798
Rough base plate	#15799



Wolff Collection for Needle Punch

The complete set needle punch floors

#63711

Includes:

Linocut seam cutter (with 4 mm stop metal sheet)
Carpet strip cutter C-cut,
Duo pressure roller



Carpet strip cutter C-cut

To cut carpet skirting boards accurately.
Strip width 2 - 7 cm.

#47414

Includes:

C-Cut, 10 blades (1 already mounted)

Accessories:

Spare blades, 10 pcs.

#13454



Carpet strip cutter

Extremely hard-wearing and easy to guide!

#13458

Comes with reinforced blade mount. To cut material for skirting board strips
from 45 mm to 100 mm.

Includes:

Carpet strip cutter, 10 blades

Accessories:

Spare blades, 10 pcs.

#13454



Carpet cutter, green

For textile flooring with foam backing. Cuts from the bottom, with slip-on shoe.
To double-cut short pile material.

#13456

Includes:

Carpet cutter with slip-on shoe, 10 blades

Accessories:

Spare blades, 10 pcs.

#13457



Carpet cutter, red

For all textile floorings without foam backing.
Cuts from top to bottom.

#13455

Includes:

Carpet cutter, 10 blades

Accessories:

Spare blades, 10 pcs.

#13454



Circular cutter

For repairing wall-to-wall carpeting.
Adjustable from 4 cm to 21 cm diameter.

#15624

Includes:

Circular cutter, 4 blades

Accessories:

Spare blades, 6 pcs.

#15625



Seam clamp 5 pcs.

To hold difficult seams until the adhesive binds. #13593



Seam roller, 13 cm wide

Ready-made or bonded carpet seams are firmly pressed into the adhesive bed to create a perfect join. #13943



Stair tool with roll

To fix carpet behind the nailboard or near stairs. #65853



Stair tool

To fix carpet behind the nailboard or near stairs.
Stair tool, 7 cm #13809
Stair tool, 9 cm #13862



Claw tool

#15802



Carpet scissors

Carpet scissors for right-handed users, 25 cm. #15654



Universal and carpet scissors

Universal scissors, 25 cm #15659
Carpet scissors, serrated blade, 22 cm #15652



Pile scissors

Pile scissors, cranked, 14 cm #15653
Pile scissors, cranked, 18 cm #15658



WOOD BEVELLER

NEW

- New wood beveller from WOLFF
- Guide wheels for accuracy
- Safe and easy to use



Wood Beveller

Exclusive wood beveller from WOLFF**#67323**

- New machine to reintroduce the bevel between planks when sanding solid wood flooring
- Guide wheels for precision
- Safe and easy to use
- WOLFF Design

Technical specifications:

230 V, 50/60 Hz, 1,500 W, 8,000 rpm, weight 5.2 kg,
Noise level 91 dB (A), sound power level 107 dB (A)
Hand-vibration < 2.5 m/s², groove depth 0 - 5 mm, hard metal grooving disc
Diameter 130 mm, thickness 9.0 mm, number of teeth 6

Includes:

Wood beveller, bevelling disc for profile bevels, adapter for industrial vacuum cleaner.
Protective goggles, hearing protection, tool kit, dust bag, transport box and operating manual

Accessories:


Bevelling disc for profile bevels

#63011

COBRA



- Powerful and safe
- 2.0.5 kW consumption
- Silent and smooth running



Parquet sanding machine Cobra

#59906

The new generation of parquet sanding: powerful, safe and WOLFF-class quality.

The technology of this new machine has been optimised by combining tried and tested FRANK technology with forward-looking WOLFF-class quality.

- maximum utilisation of belt width to provide high sanding capacity
- 8x height-adjustable handle, optimised view in front of the machine
- Cockpit operation: all switches are easily accessible in ergonomic working position for greater operating convenience
- lighting can be switched on
- bag-in-bag system: disposable inlay in textile dust bag for maximum dust reduction
- connection for external dust extraction
- very smooth and silent running thanks to new generation of belts
- fast belt swapping
- automatic belt tensioning
- running gear can be adjusted easily
- narrow and compact design
- handle, motor and dust pipe can be disassembled conveniently for straightforward transportation
- optimised distribution of weight
- tilt mechanism for comfortable and safe roller adjustment
- wall bumper wheels on both sides
- new design

Technical specifications:

230 V, 2.5 kW, roller width 200 mm, roller speed 2,100 rpm, abrasive belt dimensions 200 x 750 mm, total weight 88 kg, connection for external dust extraction and voltmeter

Includes:

Cobra sanding machine, tool bag, 2 dust bags and 10 plastic inlays, 12 m PUR cable, hearing protection, dust mask, special spare V belt

Accessories:

Sanding roller	#13587
Dust bag	#52441
Disposable inlays, 10 pcs	#52442
Sander base	#56362
Large pneumatic tyres for a comfortable transportation of the machine even over longer, also difficult distances. Safe base to store and fix the machine in a vehicle. Adjustable to old Cobra with mounting adapter (not included).	
Mounting adapter for legacy Cobra	#56418

Our PALLMANN products can be purchased from our sister company, JP Coatings:
info@pallmann.net



Parquet sanding machine Python

Powerful belt sanding machine with 250 mm continuous abrasive belt

#16874

- abrasive belt principle for high sanding capacity
- grooved roller for additional sanding effectiveness
- soft lowering for sanding with no visible overlap
- effective dust extraction
- sanding pressure can be adjusted using the roller control
- detachable steering rod and motor for easy transportation
- belt can be adjusted from outside the danger zone

Technical specifications:

230 V, 2.5 kW, roller width 250 mm, roller speed 2,100 rpm, abrasive belt dimensions 250 x 750 mm, weight 90 kg

Includes:

Python sanding machine, abrasive belt set 2 x grit 36, 2 x grit 60, 1 x grit 100, tool bag, dust bag, 12 m cable

Accessories:

Sanding roller	#43879
Dust bag	#13839
Transport wheels	#13586



Parquet sanding machine Viper

Viper without soft lift

#13661

Viper with soft lift

#39891

Compact belt sanding machine

- paper tension device to change abrasive belts fast
- effective dust extraction
- adjustable sanding pressure
- detachable steering rod and motor for easy transportation
- belt can be adjusted from outside the danger zone

Technical specifications:

230 V, 1.85 kW, roller width 200 mm, roller speed 1,900 rpm, abrasive belt dimensions 200 x 750 mm, weight 62 kg

Includes:

Viper sanding machine, abrasive belt set 2 x grit 36, 2 x grit 60, 1 x grit 100, tool bag, dust bag, 12 m cable

Accessories:

Sanding roller	#14201
Dust bag	#13839
Transport wheels	#13586

Our PALLMANN products can be purchased
from our sister company, JP Coatings:
info@pallmann.net



Edge sanding machine Gecko 11/30

Universal sanding machine for edges, corners and stairs

- light weight for versatile and easy handling
- undervoltage circuit breaker for increased safety
- can cope with heavy loads
- efficient dust extraction

Technical specifications:

230 V, 1.5 kW, diameter of grinding plate 150 mm, limiting speed 3,500 rpm, weight 8.1 kg, attachment length 110 mm (Gecko 11) / 300 mm (Gecko 30)

Includes:

Edge sanding machine, dust bag, sanding disc set 5 x grit 40, 5 x grit 80, additional handle, dust mask, hearing protection, 10 m cable, tool kit

Edge sanding machine Gecko 11	#13590
As above but with height-adjustable handle	#16958
Sanding attachment 300 mm	#13592
Edge sanding machine Gecko 30	#13317
As above but with height-adjustable handle	#16959
Sanding attachment 110 mm	#13318

Accessories:

Dust bag for Urs 15/30	#13589
------------------------	--------

Edge sanding machine Gecko Flex

Small and versatile edge sanding machine with high removal rate

- for edges, corners and stairs
- ideal position of the handle
- efficient dust extraction

Technical data:

230 V, 50 Hz, 1.5 kW, diameter of grinding plate 180 mm, 1400-4200 rpm, weight 4.5 kg, connection for external dust extraction 28 mm

Includes:

Edge sanding machine Gecko Flex, sanding disc with clamping plate, 1 adapter for vacuum cleaner PALLMANN Dust, 3 hose holders, 1 additional brush, 1 face wrench, 1 torx wrench, 1 side handle, hearing protectors, dust mask

Accessories:

Vacuum cleaner PALLMANN Dust	#60091
------------------------------	--------





Edge sanding machine
Gecko Star

Sanding of wood flooring and wood planks gets even easier with the new Gecko Star

- small and versatile
- ideal position of the handle
- efficient dust extraction
- lightweight
- convenient lights to highlight working area

Technical data:

230 V, 50 Hz, 1.8 kW, diameter of grinding plate 150/178 mm, 4,200-4,800 rpm, weight about 11 kg, sanding attachment length Ø 150 long 370 mm/ short 130 mm, sanding attachment length Ø 178 long 385 mm/ short 175 mm, adapter for external suction kit 38/35 mm, height adjustment range of the wheels 12m

Includes:

Edge sanding machine Gecko Star with grinding attachment, 1 adapter for PALLMANN Dust, 3 hose holders, 1 dust pipe long, 1 dust pipe short, 1 dust bag, hearing protectors, dust mask

Gecko Star Ø 150 mm, short sanding attachment	#65927
Gecko Star Ø 150 mm, long sanding attachment	#65926
Gecko Star Ø 178 mm, short sanding attachment	#65806
Gecko Star Ø 178 mm, long sanding attachment	#65805

Accessories:

Vacuum cleaner PALLMANN Dust	#60091
------------------------------	--------

Edge sanding machine
Gecko Pure

Small and versatile basic edge sanding machine for edges, corners and stairs

- small and versatile
- ergonomic handle
- efficient dust extraction

Technical data:

230 V, 50 Hz, 1.8 kW, diameter of grinding plate 150 mm, 4,200-4,800 rpm, weight about 9.5 kg, sanding attachment length Ø 150 long 370 mm/ short 130 mm, , adapter for external suction kit 38/35 mm, height adjustment range of the wheels 12mm

Includes:

Edge sanding machine Gecko Pure with grinding attachment, 1 adapter for PALLMANN Dust, 3 hose holders, 1 dust pipe long, 1 dust pipe short, 1 dust bag, hearing protectors, dust mask

Gecko Pure Ø 150, long sanding attachment	#65814
Gecko Pure Ø 150, short sanding attachment	#65815

Accessories:

Vacuum cleaner PALLMANN Dust	#60091
------------------------------	--------



Corundum abrasive belts 200 x 750 mm

Grit 12	#15759	10 pcs.
Grit 16	#12621	10 pcs.
Grit 24	#12622	10 pcs.
Grit 30	#12623	10 pcs.
Grit 36	#12624	10 pcs.
Grit 40	#12625	10 pcs.
Grit 50	#12626	10 pcs.
Grit 60	#12627	10 pcs.
Grit 80	#12628	10 pcs.
Grit 100	#12629	10 pcs.
Grit 120	#12630	10 pcs.

Corundum abrasive belts 250 x 750 mm

Grit 24	#48546	10 pcs.
Grit 36	#48542	10 pcs.
Grit 40	#48660	10 pcs.
Grit 50	#48547	10 pcs.
Grit 60	#48543	10 pcs.
Grit 80	#48548	10 pcs.
Grit 100	#48544	10 pcs.
Grit 120	#48549	10 pcs.

Zirconia abrasive belts 200 x 750 mm

Grit 24	#11478	10 pcs.
Grit 36	#11479	10 pcs.
Grit 40	#11480	10 pcs.
Grit 50	#12635	10 pcs.
Grit 60	#11481	10 pcs.
Grit 80	#11482	10 pcs.
Grit 100	#11483	10 pcs.
Grit 120	#11484	10 pcs.

Corundum abrasive belts 200 x 550 mm

Grit 16	#38176	10 pcs.
Grit 24	#11485	10 pcs.
Grit 30	#15765	10 pcs.
Grit 36	#11486	10 pcs.
Grit 40	#11487	10 pcs.
Grit 50	#15768	10 pcs.
Grit 60	#11488	10 pcs.
Grit 80	#11489	10 pcs.
Grit 100	#11490	10 pcs.
Grit 120	#11491	10 pcs.



Grinding discs 150 mm with hole		
Grit 16	#12639	25 pcs.
Grit 24	#12640	25 pcs.
Grit 36	#32690	25 pcs.
Grit 40	#12642	50 pcs.
Grit 60	#12643	50 pcs.
Grit 80	#12644	50 pcs.
Grit 100	#12645	50 pcs.
Grit 120	#15772	50 pcs.

Grinding discs 178 mm with hole		
Grit 16	#12648	25 pcs.
Grit 24	#12649	25 pcs.
Grit 30	#15944	25 pcs.
Grit 36	#33231	25 pcs.
Grit 40	#12661	50 pcs.
Grit 60	#12662	50 pcs.
Grit 80	#12663	50 pcs.
Grit 100	#12664	50 pcs.
Grit 120	#15948	50 pcs.

Hook-and-loop discs 150 mm with hole		
Grit 16	#41054	25 pcs.
Grit 24	#41055	25 pcs.
Grit 36	#41056	25 pcs.
Grit 40	#41057	50 pcs.
Grit 60	#41059	50 pcs.
Grit 80	#41060	50 pcs.
Grit 100	#41111	50 pcs.
Grit 120	#41112	50 pcs.

Our PALLMANN products can be purchased
from our sister company, JP Coatings:
info@pallmann.net

Hook-and-loop discs 178 mm with hole		
Grit 16	#41113	25 pcs.
Grit 24	#41114	25 pcs.
Grit 36	#41115	25 pcs.
Grit 40	#41117	50 pcs.
Grit 50	#41118	50 pcs.
Grit 60	#41119	50 pcs.
Grit 80	#41120	50 pcs.
Grit 100	#41121	50 pcs.
Grit 120	#41122	50 pcs.

USEFUL TOOLS

Work safety equipment | straight edges | knives



Door straight edge, bowed

Hardened and polished. Adjustable from 60 cm - 130 cm. Steel sheet 0.7 mm thick.

#60643



Head seam straight edge

800 x 75 mm

#15561



Mitre-box template

30 x 10 cm, 90° and 45° angle

#62690



Template to create concave skirting boards

25 mm radius

#13944

50 mm radius

#13945



Flexible steel straight edge

Undulation free premium quality in stainless steel!

Stainless steel, bowed, with retaining clip.

Guaranteed deviation from straightness of max. 1.5 - 2.0 mm over 3 metres.

Flexible steel straight edge 210 x 8 cm

#48421

Flexible steel straight edge 410 x 8 cm

#48422

Flexible steel straight edge 510 x 8 cm

#48423



Flexible steel straight edge with T stop

Undulation free premium quality in stainless steel!

Stainless steel, bowed, with retaining clip.

Guaranteed deviation from straightness of max. 1.5 - 2.0 mm over 3 metres.

Flexible steel straight edge 210 x 8 cm

#48425

Flexible steel straight edge 410 x 8 cm

#48426

Flexible steel straight edge 510 x 8 cm

#48428



Flexible steel straight edge

With anti-slip backing. Rubberised, does not scratch the floor.

Guaranteed deviation from straightness of max. 1.5 - 2.0 mm over 3 metres.

Flexible steel straight edge 205 cm

#13872

Flexible steel straight edge 405 cm

#13873



WOLFF knife

Blade can be swapped without screw driver. Plastic quiver. Without blades.
Delivered in appealing POS dispenser for orders of 20 pcs. or more.

- with fixing magnets for comfortable blade change
- premium quality knife
- specially hardened blade mount

#48221



Designer cutting knife

Helve, incl. blade.

#13880

Accessories:

Blade no. 22, 10 pcs.

#15617

Helve for spare blade

#15619



Blades

Tried and tested top quality at a reasonable price

Straight blade 0.65 mm, 100 pcs., in dispenser.


#13419

Hooked blades, 0.65 mm, 100 pcs., in dispenser

#13421

Super hooked blade, 0.65 mm, 100 pcs., in dispenser

#13422



Blades with titanium coating

Extremely long service life and sharpness. **Delivered in convenient alloy box.**

Straight blade with titanium coating, 100 pcs.

#21149

Hooked blade with titanium coating, 100 pcs.

#21150

Super hooked blade with titanium coating, 100 pcs.

#21151



Combined hooked/straight blade

Double-sided cutting blades, 100 pcs.

#32713



Half moon blade

100 pcs.

#32760



Break-off knife

Delivered in appealing POS dispenser for orders of 20 pcs. or more

#55030

Accessories:

Break-off blade 18 mm, 100 pcs., in appealing alloy box.

#13420



Break-off blade 18 mm

100 pcs.

#13420



Table milling machine

For milling off strips to be used as hygienic skirting boards

- prevents cracks in skirting board strips in the event of floor subsidence
- easier to install skirting board strips

Technical specifications:

230 V, 2.0 kW, limiting speed (idle) 8,500 rpm, noise level 94 dB (A), sound power level 107 dB (A), weight 20 kg, milling width 6 mm, HM grooving disc diameter 125 x DIAMETER 22 x 6 mm, strip width 7.5-33 cm

Includes:

Table milling machine, two pin spanner, spanners SW 8 and SW 10, Allen key, protective goggles, hearing protection

#20727

#20728

115V/230V



Door case saw Piranha

Comes with HM saw blade. To cut door frames, door cases and skirting to size accurately. To cut parquet and laminate floor edges after laying.

- simple continuous height and depth adjustment: height 25 mm, depth 50 mm
- 1.01 kW motor for more power
- HM saw blade for a long service life
- 6,000 rpm

Includes:

Door case saw with HM blade, Systainer box

Accessories:

HM saw blade

#16927

#20821

115V/230V



Steel pins 1,000 pcs., uncoated, in plastic box

1.5 x 25 mm

#60425

1.5 x 30 mm

#60426

1.5 x 35 mm

#60427



Stair bevel

To determine and apply lengths and angles quickly and easily.

#15563



Height scriber

For skirting boards etc., with pencil.

#15555



Skirting board scissors

With stop.	#15651
Accessories:	
Mitre-box stop	#33196
Spare blade	#17471
Spare pad	#60736



Mitre-box scissors

Double action, with stop, for wood and plastic boards.	#15648
Accessories:	
Spare blade	#15649
Spare pad	#15650



Mitre-box scissors for design floors

Double action, with stop.	#55031
Accessories:	
Blades, 50 pcs.	#56530



Skirting board punching machine

To punch the mitres of hardcore skirting boards with a height of 6 - 10 cm.	#15915
Accessories:	
Spare blade	#15918
Spare pad	#15916



Rubber mallet

Specially designed to install switchTec products!	
Weight 335 g, diameter 40 mm	#47450
Weight 600 g, diameter 50 mm	#15901



Adhesive syringe

To inject adhesive under bulges in the floor covering.	#15835
--	--------



Tapping block

Universal, made of plastic, unbreakable.

#15852



Hammer bar

Zinc plated, with felt backing.

Hammer bar, 42.5 cm

#15832

Hammer bar, 54.5 cm

#13840



Slide hammer tool

- length-adjustable version to work in areas difficult to reach
- easy operation for fast working
- hammer, tapping block and hammer bar in a single tool

Length 41 cm

#13626

Adjustable length, 41 or 64 cm

#13627



Extension cable WOLFF

Extension cable, 25.0 m

#41811

Extension cable, 12.5 m

#47382



External starting current limiter

Provides the connected machine with low voltage only when turned on.
Ideal to solve problems and save time when working in poorly protected areas.

Starting current limiter

#13639

As above, with Swiss plug

#13986



Brooms, horsehair blend

Attached with screws.

Broom 50 cm

#15924

Broom 60 cm

#15925

Coir broom, 60 cm

#15926

Metal handle

#15927



Safety Poly knee protectors

Ergonomically shaped knee bed for optimum damping properties and perfect wear comfort.
Certified in accordance with DIN EN 14404, PPE type 1.

#65398



Knee protectors

Corresponds to current DIN standard.
Nylon knee protectors, ultra light.
2 elasticised straps with hook-and-loop fastener.

#55037



Leather knee protectors

Inside felt padding.

Accessories:

Spare straps

#15813

#15811



Knee pads

To be inserted in trousers with knee pad pockets.

#51560



Medical knee protectors

Lightweight rubber knee protectors with hook-and-loop fastener.
Developed in co-operation with professional associations and medical practitioners to prevent damage to the knee joints.

Accessories:

Hook-and-loop fastener

#16255

#17433



Hearing protection

#15315

Protective goggles

#15316

Dust mask

#16254

Safety gloves

#15809



Abrasive gauze	18	GreenCut	46	Quarter moon knife	52
Abrasive paper discs	17	Grinding plate	18,19	Quick welding nozzle	56
Additional weight	5	Grinding stone	37		
Adhesive spatula	39	Groover	51	Radiator nozzle	56
Adhesive syringe	72			Rake for compounds	40
Adhesive trowel	37	Half moon blades	70	Roller container	41
Adjustable knee kicker	58	Hammer bar	73	Roller handle	41
Automatic welding machine Weldmaster	54	Hand scraper WOLFF	10	Round nozzle	55
		Hand scraper WOLFF	10	Rubber	49
Basic grinding plate for diamond segments	23	Hand-operated welding machine Weldliner	55	Rubber mallet	72
Break-off blades	70	Head seam straight edge	69	Running gear	6
Break-off knife WOLFF	70	Hearing protection	74		
Broad nozzle	56	Height levelling spatula	39	Safety gloves	74
Broom	73	Height scriber	71	Sample collection, TKB standard	39
Brush cup plate	19	HM grinding disc	17	Scratcher	34
Brush cup set	19	HM grinding stone	37	Screed joint cutter EF 135	35
Brush ring	15,16,18	HM grooving disc	53	Screed moisture indicator W-ES	34
Brush set	31	HM milling plate disc	19	Scrubbing brush	20
		HM splinter disc	22	Seam clamp	60
Carbide phials	32	Holding kit	17	Seam roller	60
Carpet awl	58	Hooked blades	70	Seam scriber	51
Carpet clamp	10	Hydromette RTU 600	33	Seam trimmer	51
Carpet cutter	58			Serrated blade	10
Carpet cutter, green	59	Interchangeable adhesive spatula	40	Shampooing brush	20
Carpet scissors	60	Interchangeable spatula	39	Sigma 550 Triple Disc	24
Carpet strip cutter C-cut	59			Sigma diamond segments	25
Cayman Stripper	9	Joint grooving machine Fräs junior	53	Single milling module	19
CCM instrument in case	32	Joint grooving machine Fräsmaster	53	Single nozzle	56
Circular cutter	47	Junio-Stripper	12	Skirting board punching machine	72
Claw tool	60			Skirting board scissors with stop	72
Cleaning pads	20	Knee protectors	74	Slide hammer tool	73
Cleaning tank	14,15,16			Smoothing trowel	37
CM pressure gauge 31	32	Large area rake	40	Special U-shape blade	6,1
Coir broom	73	Leister Electron, PID, Triac	55	Speed control	28
Collection for needle punch	59	Levelling compound rake	40	Speed Trimmer Mozart	52
Combi scriber	50	Linocut seam cutter	45	Spike roller	43
Combined hooked/straight blades	70	Linoleum edge cutter	47	Stair bevel	71
Compactclean	30			Stair scriber	50
Contact paste	33	Material moisture indicator W-MM	34	Stair tool	60
Copper band	43	Measuring wedge	34	Star wheel grinding disc	19
Corrugated links	43	Medical knee protectors	74	Star-shaped blade set	26
Corrugated wire brush	20	Micro filter	30	Starting current limiter	73
		Milling and welding set, Combi 230V	54	Starvac M I 55	29
Design Collection	48	Milling blade set CT 200 / CT 250	26,27	Steel pins	71
Designer cutting knife for PVC floor coverings	70	Milling drum Ct 200 / CT 250	26,27	Stirrer	37
Diamond grinding disc	28	Milling head	19	Stirring station	38
Diamond grinding plate	23	Milling segment disc	22	Stirring station bucket	38
Diamond grindstone	52	Milling wheels	22	Straight blades	70
Diamond grooving disc	53	Mipolam nozzle	56	Strip cutter	46
Diamond segment	23	Mitre-box scissors	72	Substrate test kit	32
Digital CM pressure gauge	32	Mitre-box template	69	Suction hose	31
Disc holder	17	Mittag cutter	58	Suction kit	14,15,16
Door case saw Piranha	71	Mixer Power X 900/ 1100/ 1300	36	Suction nozzle	30
Door straight edge, bowed	69	Mixing bucket	38	Suction ring with sealing shell	15,16
Double head stretcher	58	Monodisc grinding machine Flamenco	15	Super hooked blades	70
Duo pressure roller	49	Monodisc grinding machine Jive	15	Swiss trowel	37
Duro-Stripper	11	Monodisc grinding machine Mambo EVO	14		
Dust mask	74	Monodisc grinding machine Samba	15	Table milling machine	71
		Monodisc grinding machine Tango	16	Tapping block	73
Eco-Stripper	12	Mozart push-off knife	52	Thermohygrometer W-TH	34
Electric strip cutter	46			Tooth profiles	42
Ergo Cutter	6	Nail shoes	43	T-Rex industrial vacuum cleaner	31
Ergostar spatula	39	Nylon roller	41	Turbo-Stripper	5
Extension cable	73				
Extro-Stripper	7	PCD segment	23	Universal lever tile cutter	47
		Peeling blade set CT 200/ CT 250	26,27	Universal scissors	60
FasTrimmer	50	Perforated pad	18		
Fine dust filter	31	Perlon brush	20	Vacuclean vacuum cleaner	30
Flat steel brush disc	19	Pile scissors	60	Vario-Stripper Silent	8
Flexible steel straight edge	69	Pin leveller	41		
Floor grinding machine Alpha	21	Polishing brush	20	Wall scriber Magic Wand	51
Floor grinding machine BS180	28	Polishing machine Rumba	16	Wallmaster	57
Floor grinding machine Omega	22	Polishing pad	16	Weld seam slide	52
Floor milling machine CT 200	26	PressoMess 2	32	Welding rod roll	51
Floor milling machine CT 250	27	Pressure roller	48	WOLFF knife	70
Floor scraper	10	Pressure roller for flooring	49	Wood beveller	61
Foam roller	41	Protective goggles	74		
		PUR welding nozzle	56		
Gooseneck nozzle	56	Push-off knife	51		



BELARUS

Repraesentanz Uzin Utz AG
 Kommunistischeskaja Str. 49,
 office 642
 220 002 Minsk – Weißrussland
 Telephone +375 172391923
 Telefax +375 172832431
 E-mail ivan.rak@uzin-utz.com

BELGIUM

Unipro Belgie n.v.
 Poortakkerstraat 41a
 B-9051 Gent
 Telephone +32 9 2225848
 Telefax +32 9 222 3380
 E-mail info@unipro.be

CHINA

**Uzin Utz Construction
 Materials (Shanghai) Co., Ltd.**
 N° 3968 Huguang Highway
 Zhaoxiang – District Qingpu
 Shanghai 201703
 Telephone +86 21 5975 8168
 Telefax +86 21 5975 7888
 E-mail info@uzin.com.cn

CROATIA

Unikem d.o.o.
 Trgovačka 6
 CMP, Savica-Šanci
 HR-10000 Zagreb
 Telephone +385 1 2498214
 Telefax +385 1 2498215
 E-mail info@unikem.hr

CYPRUS

**IDS – Interior Design Services
 Total Solution Contract**
 197 Old Nicosia
 Limassol Road P.O. Box 11107
 2550 Nicosia
 E-mail idsids@cytanet.com.cy

CZECH REPUBLIC

Uzin s.r.o.
 Ceskomoravská 12 a
 CZ-19000 Praha 9
 Telephone +420 2 8308 3314
 Telefax +420 2 8308 3419
 E-mail info@uzin.cz

DENMARK

Uzin Utz AG – Salg og Teknik DK
 Herbert Riemer
 Nyvang Alle 10
 DK-2770 Kastrup
 Telephone +45 3252 1162
 Telefax +45 3252 1127
 E-mail herbert.riemer@uzin-utz.com

Uzin Utz AG – Salg og Teknik DK

Jørgen H. Knudsen
 Bogensevej 40
 DK-6000 Kolding
 Telephone +45 7550 3640
 Telefax +45 7550 3642
 E-mail joergen.knudsen@uzin-utz.com

FINLAND

Betton Oy
 Vapaalantie 2B
 FIN-01650 Vantaa
 Telephone +358 9 5102 517
 Telefax +358 9 5489 6640
 E-mail juha.tamminen@betton.fi

FRANCE

Uzin France SAS
 6 avenue du Professeur
 André Lemierre
 F-75980 Paris Cedex 20
 Telephone +33 1 41632720
 Telefax +33 1 41632721
 E-mail info@uzin.fr

GERMANY

Uzin Utz AG
 Dieselstrasse 19
 71665 Vaihingen/ Enz
 Telephone +49 7042 95 11 0
 Telefax +49 7042 95 11 44
 E-mail info@wolff-tools.com

GREECE

**Uzin Hellas
 Polychemiki G. Matziaris S.A.**
 14th km Old National Road
 Industrial Park of Anchialos Thessaloniki
 P.O.Box: 1073
 GR 570 22 SINDOS Thessaloniki
 Telephone +30 2310 7229 91
 Telefax +30 2310 7225 71
 E-mail uzin@otenet.gr

HUNGARY

**Uzin Utz
 Magyarország Kft.**
 Újhegyi út 14
 H-1108 Budapest
 Telephone +36 1 431 9422
 Telefax +36 1 431 9423
 E-mail info-hungary@uzin-utz.com

ICELAND

Alfaborg ehf
 Skutuvogi 6
 104 Reykjavik
 Telephone +354 568 6755
 Telefax +354 568 1277
 E-mail alfaborg@alfaborg.is

INDONESIA

PT Uzin Utz
 Plaza Pasifik B2 No. 32
 Kelapa Gading
 ID – Jakarta 14240
 Telephone +62 21 4587 6116
 Telefax +62 21 4587 6115
 E-mail sugi_wei@yahoo.com

ITALY

Korkland GmbH
 Bergwerkweg 16
 I-39018 Terlan (BZ)
 Telephone +39 0471 258871
 Telefax +39 0471 257831
 E-mail info@korkland.it

LITHUANIA

UZIN Representative Office
 Architektu Str. 64A-19
 LT-04110 Vilnius
 Telephone +37 52 483788
 Telefax +37 52 483788
 E-mail jaroslaw.baum@uzin-utz.com

MALTA

de Valier Co. Ltd.
 Fairline Centre – St. Marta Street
 Victoria Gozo – VCT 2552
 Telephone +356/21/556694
 Telefax +356/21/554175
 E-mail info@devalier.com.mt

NETHERLANDS

Unipro b.v.
 Industriestraat 15
 NL-7482 EW Haaksbergen
 Telephone +31 53 5737373
 Telefax +31 53 5737333
 E-mail verkoop@unipro.nl

NEW ZEALAND (AND AUSTRALIA)

UFLOOR Systems NZ Ltd.
 PO Box 426
 5 Clayden Dr.
 Gulf Harbour
 Whangaparaoa 0943
 Telephone +64 9 424 0366
 Telefax +64 9 428 1643
 E-mail ufloor-systems@xtra.co.nz

NORWAY

IBG Industri og Boligulv AS
 Hovinveien 43
 N-0576 Oslo
 Telephone +47 2324 4800
 Telefax +47 2324 4849
 E-mail roger.johansen@ibg.no

Løkken AS

Mælagata 58
 N-3716 Skien
 Telephone +47 35 506 400
 Telefax +47 35 506 420
 E-mail firmapost@loekken.no

POLAND

Uzin Polska Sp.z o.o.
 ul. Jaworzyska 287
 PL-59-220 Legnica
 Telephone +48 76 723 91 60
 Telefax +48 76 723 91 61
 E-mail biuro@uzin-utz.com

ROMANIA

GRISCO CONSTRUCT S.R.L.
 Sector 1, Corp B3
 Str. Grigore Galencu 78-84
 014132 Bucuresti-Vila F2
 Telephone +40 31 7108757
 Telefax +40 31 7108759
 E-mail office@grisco-construct.ro

RUSSIA

Uzin Utz AG
 Dieselstrasse 3
 Germany, 89079 Ulm
 Telephone +49 731 40 97 205
 Telefax +49 731 40 97 107
 E-mail boris.schulmann@uzin-utz.com

SERBIA

Unihem Trading d.o.o.
 Kumodraška 257
 RS-11000 Belgrad
 Telephone +381 11 398 66 85
 Telefax +381 11 398 90 88
 E-mail office@unihem.rs

SLOVAKIA

HA-UZ market s.r.o.
 Štrková 94
 SK-01001 Žilina
 Telephone +421 41 565 55 40
 Telefax +421 41 500 60 14
 E-mail ha-uz@za.psg.sk

SLOVENIA

Unihem d.o.o.
 Kajakaska c.30
 SI-1211 Ljubljana
 Telephone +386 1 511 0200
 Telefax +386 1 5116290
 E-mail prodaja@unihem.si

SOUTH AFRICA

Contract Flooring Distributors (Pty) Ltd.
 22 Dublin Road
 Bramley View Ext 6 2090
 2037 Highlands North
 Telephone +27 882 1000
 Telefax +27 882 5403
 E-mail info@cfd flooring.co.za

SPAIN

Laboratorios Rayt S.A.
 Garriga, 188-200 P.O.Box 39
 E-08910 Badalona
 Telephone +34 93 460 7820
 Telefax +34 93 383 6356
 E-mail info@rayt.com

SWEDEN

Englund-Gruppen Sverige
 Kryptogatan 20
 S-43153 Mölndal
 Telephone +46 31 670170
 Telefax +46 31 871 678
 E-mail stefan.englund@englund-gruppen.se

SWITZERLAND

DS-Derendinger AG
 Freiburgerstraße 830 a
 CH-3174 Thörishaus
 Telephone +41 31 888 12-00
 Telefax +41 31 888 12-01
 E-mail info@ds-derendinger.ch

TURKEY

Oynurden Kimya Sanaya A.S.
 Cihangir Mahallesi
 Isiklar Cad. No. 11
 Haramidere
 34310 Avcilar-Istanbul

Telephone +90 212 422 1100
 Telefax +90 212 422 1099
 E-mail uzin@denlaks.com

UNITED KINGDOM

Uzin Ltd.
 Unit 2, Mitchell Court
 Central Park, Rugby
 Warwickshire, CV23 0UJ
 Telephone +44 1788 530 080
 Telefax +44 1788 536 508
 E-mail info@uzin.co.uk

UKRAINE

Industrial Company „LIDER“ Limited
 14, Krasnaya St.
 UA-49000 Dniepropetrovsk
 Telephone +38 056 744 8843
 Telefax +38 056 770 1005
 E-mail uzin@email.dp.ua

USA & CANADA

UFLOOR Systems Inc.
 14509 E. 33rd Place
 Unit G
 Aurora, CO 80011
 Telephone +1 720 374 4810
 Telefax +1 720 374 2113
 E-mail info@ufloorsystems.com

ALL OTHER COUNTRIES:

Uzin Utz AG
 Mr. Jürgen Rehmann
 Dieselstrasse 19
 71665 Vaihingen/ Enz
 Telephone +49 7042 95 11 0
 Telefax +49 7042 95 11 44

Contact information

Customer service for commercial customers: Orders / order processing

Telephone +49 (0) 731 4097-301
Fax +49 (0) 731 4097-230
E-mail info@wolff-tools.de

Technical Customer Service

Telephone +49 (0) 7042 9511-28, -43, -54, -59
Fax +49 (0) 7042 9511-55
E-mail tk-s-wolff@uzin-utz.com

Application Technology


Frank Wehrmann
Mobile +49 (0) 160-8836031
E-mail frank.wehrmann@uzin-utz.com

Karl-Heinz Würth
Mobile +49 (0)160-3642058
E-mail karl-heinz.wuerth@uzin-utz.com

Availability

Monday - Thursday 7:30 - 16:15
Friday 7:30 - 15:00

How to find us:



For all your flooring needs

Uzin Utz AG is a company that incorporates a whole wealth of flooring skills.

With brands such as UZIN, WOLFF, PALLMANN, Arturo, codex, RZ and UFLOOR Systems, we offer an extensive range of products, systems and services, encompassing anything and everything to do with the installation, renovation and maintenance of all types of floor coverings, wood flooring, ceramic tiles and natural stone floors.

If you have any questions about floors, rest assured that you will find us a competent and reliable partner.

Brands of Uzin Utz AG



Installation systems
for flooring and
wood flooring



Machines and
special tools
for subfloor
preparation and
installation of
floor coverings



PALLMANN
Full range
supplies for
the installation,
renovation and
maintenance of
woodfloor



Surface protection
for commercial and
industrial floors



Installation systems
for tiling and natural
stone



Cleaning and
care systems
for all types
of floor
coverings



Advisory services for
architects, planners,
builder

going beyond your limits



WOLFF | A brand of Uzin Utz AG
Dieselstraße 19 | 71665 Vaihingen / Enz, Germany
Telephone +49 (0)7042 9511-0 | Fax +49 (0)7042 9511-44
info@wolff-tools.com | www.wolff-tools.com

WWW.WOLFF-TOOLS.COM